

MECHANICS NET PRICE LIST B-265

SUPERSEDES ALL PREVIOUS PRICE SCHEDULES

Effective February 25, 1965

TERMS

SHIPPING TERMS: F. O. B. Orangeburg, S. C., freight prepaid (our routing) on shipments against orders of \$300 or more our net billing. If a more costly method of transportation is requested such additional cost will be assumed by the customer. No freight allowance on displays or display boards ordered separately without tools or with less than freight allowed tool orders.

DROP SHIPMENTS: Drop shipments to your customers will be allowed only on shipments against individual orders of \$300 or more, our net billing. Shipping terms as stated above will apply.

PAYMENT TERMS: 2% 10th. prox. Net 30 days.

RETURNS OF MERCHANDISE:

In no instance may merchandise be returned to the factory without written approval by Bonney.

SHORTAGE CLAIMS: Claims for shortages will be allowed only if reported within ten days of receipt of shipment.

CONDITION OF ACCEPTANCE: All orders subject to acceptance at our general office, Orangeburg, S. C., and our ability to ship.

Prices, discounts and terms are subject to change without notice. All orders will be invoiced at prices in effect at the time of shipment.

GUARANTEE

Bonney tools are guaranteed to perform the work for which designed and to last as long as is consistent with ordinary wear.

Any tool found defective in workmanship or material when returned to the factory, transportation charges prepaid, will be repaired, replaced, or credit given at our option.

Impact sockets and attachments are not guaranteed against breakage, nor wear, but are guaranteed against defects in material or workmanship.

This guarantee is void if inspection shows:

The tools have been abused, ground, heated, subjected to hammering, or unreasonable leverage.

Hand sockets and attachments used on power and impact guns.

■ Not shown in catalog.

● Spare Parts.

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
SCREW DRIVERS				10A	8.40	1 11/16	57	27B	1.62	5/8 & 1 1/16	57
001 2	.50	Thin Blade, Std.	27	11	11.00	1 13/16	57	29B	1.95	1 1/16 & 3/4	57
001 3	.60	Thin Blade, Std.	27	11A	11.00	1 7/8	57	29C	1.95	1 1/16 & 1 3/16	57
001 5	.80	Thin Blade, Std.	27	12	15.00	2	57	33A	2.82	7/8 & 1 5/16	57
001 6	.94	Thin Blade, Std.	27	12A	15.00	2 1/16	57	33C	2.82	1 5/16 & 1	57
003	1.11	Electrical, Std.	27	13	19.00	2 3/16	57	34	3.55	7/8 & 1 1/16	57
006	1.25	Electrical, Std.	27	13A	19.00	2 1/4	57	34A	3.55	1 5/16 & 1 1/16	57
0010	1.45	Electrical, Std.	27	14	24.10	2 3/8	57	36B	4.50	1 1/16 & 1 1/8	57
04	1.39	Standard Tip	27	14A	24.10	2 7/16	57	37	5.00	1 1/16 & 1 1/4	57
06	1.85	Standard Tip	27	15	29.25	2 9/16	57	37A	5.00	1 1/8 & 1 5/16	57
08	2.29	Standard Tip	27	15A	29.25	2 5/8	57	39	7.25	1 1/4 & 1 7/16	57
010	2.50	Standard Tip	27	16	35.00	2 3/4	57	39B	7.25	1 1/4 & 1 5/16	57
012	3.43	Standard Tip	27	16A	35.00	2 15/16	57	39C	7.25	1 3/8 & 1 7/16	57
0669	.98	Offset	27	16B	35.00	2 13/16	57	41B	9.25	1 1/2 & 1 5/8	57
0670	1.23	Offset	27	17	53.75	3 1/8	57	44A	18.75	1 11/16 & 1 7/8	57
0671	1.29	Offset	27	17A	53.75	3	57	47	27.50	2 & 2 3/16	57
0672	3.15	Offset-Set of 3	28	18	77.25	3 1/2	57	49	36.65	2 3/16 & 2 3/8	57
INDUSTRIAL O.E. WRENCHES				18A	77.25	3 3/8	57	49A	36.65	2 1/4 & 2 7/16	57
Single End 15°				19	109.00	3 7/8	57	SHOP KNIFE, RULE, PUTTY KNIFE			
00	.75	5/16	57	19A	109.00	4 1/4	57	99	1.97	Shop Knife	44
1	1.00	1/2	57	19B	109.00	3 3/4	57	99B-PK	.85	Blades - Pk of 4	44
3	1.40	1 1/16	57	19C	109.00	4 1/8	57	192	1.58	6 Ft. Push-Pull Rule	44
5	2.00	7/8	57	20	162.50	4 5/8	57	● 192-1	.95	Tape	■
6	2.50	3 1/32	57	20A	162.50	5	57	197	.58	Putty Knife	44
7	3.00	1 1/16	57	20B	162.50	4 1/2	57				
8	4.00	1 1/4	57	Double End 15°							
9	6.00	1 7/16	57	25	1.30	1/2 & 1 9/32	57				
10	8.40	1 5/8	57	27	1.62	1 9/32 & 1 1/16	57				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
199B-PK	.70	Blades for 199-Pk of 5	44	276H	9.05	1 1/4 Square	59	604A	1.70	3/4	58
CONSTRUCTION WRENCHES Single End 15° - O.E.				277A	10.25	1 13/16 Hex	59	605	2.00	7/8	58
				278A	10.55	2 Hex	59	605A	2.00	1 3/16	58
201	2.00	1/2	56	TAPPET WRENCHES (15°)				606	2.40	3 1/32	58
201A	2.00	7/16	56	420	2.18	7/16 & 17/32	■	606B	2.40	1	58
201B	2.00	9/16	56	420A	2.18	7/16 & 1/2	20	607	2.85	1 1/16	58
203	2.60	1 1/16	56	422	2.28	1/2 & 9/16	20	607A	2.85	1 1/8	58
203A	2.60	5/8	56	424	2.28	5/8 & 1 1/16	20	608	3.56	1 1/4	58
204A	2.60	3/4	56	424A	2.18	5/8 & 3/4	■	608A	3.56	1 5/16	58
205	3.25	7/8	56	425	2.70	3/4 & 13/16	20	609	4.82	1 7/16	58
205A	3.25	1 3/16	56	426	2.70	3/4 & 7/8	20	609A	4.82	1 1/2	58
206	3.25	3 1/32	56	428	2.43	1 5/16 & 1	■	610	6.85	1 5/8	58
206B	3.25	1	56	PIN SPANNERS				610A	6.85	1 11/16	58
207	4.25	1 1/16	56	452	1.45	1 Dia. 3/16 Pin	59	Double End 15°			
207A	4.25	1 1/8	56	453	1.54	1 1/4 Dia. 13/64 Pin	59	623D	1.32	7/16 & 1/2	58
208	5.50	1 1/4	56	454	1.54	1 1/2 Dia. 7/32 Pin	59	624B	1.32	1/2 & 9/16	58
208A	5.50	1 5/16	56	455	1.64	1 3/4 Dia. 15/64 Pin	59	626S	1.70	9/16 & 5/8	58
209	7.25	1 7/16	56	456	1.75	2 Dia. 1/4 Pin	59	627	1.70	1 9/32 & 1 1/16	58
209A	7.25	1 1/2	56	457	1.85	2 1/4 Dia. 17/64 Pin	59	630B	2.10	3/4 & 13/16	58
210	9.75	1 5/8	56	458	1.88	2 1/2 Dia. 9/32 Pin	59	630E	2.10	3/4 & 7/8	58
210A	9.75	1 11/16	56	459	2.05	2 3/4 Dia. 19/64 Pin	59	632C	2.95	7/8 & 1 5/16	58
211	14.30	1 13/16	56	460	2.25	3 Dia. 5/16 Pin	59	634A	2.95	7/8 & 1	58
211A	14.30	1 7/8	56	461	2.40	3 1/4 Dia. 21/64 Pin	59	635D	4.40	1 & 1 1/8	58
212	14.30	2	56	462	2.50	3 1/2 Dia. 11/32 Pin	59	637	4.40	1 1/16 & 1 1/4	58
OFFSET SOCKET WRENCHES				463	2.70	3 3/4 Dia. 23/64 Pin	59	637A	4.40	1 1/8 & 1 5/16	58
261A	1.57	5/16 Hex	59	464	2.85	4 Dia. 3/8 Pin	59	639	6.85	1 1/4 & 1 7/16	58
261J	1.57	1/4 Square	59	466	3.80	5 Dia. 7/16 Pin	59	640A	6.85	1 5/16 & 1 1/2	58
262D	1.75	3/8 Hex	59	468	5.15	6 Dia. 1/2 Pin	59	INDUSTRIAL O.E. WRENCHES Single End 15°			
262H	1.75	5/16 Square	59	ADJUSTABLE HOOK SPANNERS				700	.83	3/8	57
263D	1.88	7/16 Hex	59	471	4.60	3/4 to 2 Cap.	59	701	1.00	7/16	57
263H	1.88	3/8 Square	59	472	5.25	1 1/4 to 3 Cap.	59	702	1.20	9/16	57
264A	2.05	1/2 Hex	59	474	7.20	2 to 4 3/4 Cap.	59	703	1.38	5/8	57
265D	2.27	9/16 Hex	59	474A	7.75	4 1/2 to 6 1/4 Cap.	59	704	1.68	3/4	57
265H	2.27	7/16 Square	59	ADJUSTABLE FACE SPANNERS				705	2.00	1 3/16	57
266D	2.50	5/8 Hex	59	482	4.00	2 Cap. 3/16 Pin	59	706	2.48	1	57
266H	2.50	1/2 Square	59	483	6.30	3 Cap 1/4 Pin	59	707	3.00	1 1/8	57
267A	2.90	1 1/16 Hex	59	484	8.40	4 Cap 5/16 Pin	59	708A	3.96	1 3/8	57
267D	2.90	3/4 Hex	59	SET SCREW WRENCHES O.E.				709	6.04	1 1/2	57
267H	2.90	9/16 Square	59	525	1.28	5/16 & 1/4	58	Double End 15°			
268D	3.16	1 3/16 Hex	59	527	1.55	5/16 & 3/8	58	721	.90	5/16 & 3/8	57
268H	3.16	5/8 Square	59	529	1.85	3/8 & 7/16	58	723	1.08	3/8 & 7/16	57
268P	3.16	1 1/16 Square	59	531	2.40	7/16 & 1/2	58	725	1.32	7/16 & 1/2	57
269A	3.63	7/8 Hex	59	533	2.85	1/2 & 9/16	58	725A	1.32	7/16 & 9/16	57
269H	3.63	3/4 Square	59	541	6.90	7/8 & 1	58	725B	1.32	1/2 & 9/16	57
270D	4.10	1 Hex	59	543	9.25	1 & 1 1/8	58	727	1.64	9/16 & 5/8	57
270S	4.10	1 5/16 Hex	59	CHECK NUT WRENCHES Single End 15°				729	1.95	5/8 & 3/4	57
271A	4.70	1 1/16 Hex	59	601	.98	1/2	58	731	2.38	3/4 & 1 5/16	57
271D	4.70	1 1/8 Hex	59	601A	.98	7/16	58	731A	2.38	3/4 & 7/8	57
271H	4.70	7/8 Square	59	602	1.20	1 9/32	58	731B	2.25	1 3/16 & 7/8	■
273A	6.30	1 1/4 Hex	59	602A	1.20	9/16	58	733	2.88	7/8 & 1	57
273B	6.30	1 5/16 Hex	59	603	1.40	1 1/16	58	735	3.56	1 & 1 1/8	57
273H	6.30	1 Square	59	603A	1.40	5/8	58	737	5.05	1 1/8 & 1 1/4	57
274H	7.10	1 1/8 Square	59	604	1.70	2 5/32	58	STRUCTURAL O.E. WRENCHES Single End Straight			
275A	7.88	1 7/16 Hex	59					901	2.15	1/2	56
275D	7.88	1 1/2 Hex	59								
276A	9.05	1 5/8 Hex	59								
276B	9.05	1 11/16 Hex	59								

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
901A	2.15	7/16	56	COMBINATION WRENCHES EXTRA LONG				1250	4.04	1 9/16	19
901B	2.15	9/16	56	1112	1.95	3/8-12 Pt.	22	1252	4.04	1 5/8	19
903	2.85	1 1/16	56	1112H	1.95	3/8-6 Pt.	22	1256	4.65	1 3/4	19
903A	2.85	5/8	56	1114	2.15	7/16-12 Pt.	22	1258	4.65	1 13/16	19
904A	2.85	3/4	56	1114H	2.15	7/16-6 Pt.	22	1260	4.65	1 7/8	19
905	3.78	7/8	56	1116	2.30	1/2-12 Pt.	22	1262	4.65	1 15/16	19
905A	3.78	1 3/16	56	1116H	2.30	1/2-6 Pt.	22	1264	4.65	2	19
906	3.78	3 1/32	56	1118	2.50	9/16-12 Pt.	22	1264S	4.65	2 9/16	19
906B	3.78	1	56	1118H	2.50	9/16-6 Pt.	22	1266	4.65	2 1/16	19
907	5.05	1 1/16	56	1120	2.80	5/8-12 Pt.	22	1268	4.65	2 1/8	19
907A	5.05	1 1/8	56	1120H	2.80	5/8-6 Pt.	22	1272	4.65	2 1/4	19
908	6.40	1 1/4	56	1122	2.93	1 1/16-12 Pt.	22	1272S	4.65	2 1/2	19
908A	6.40	1 5/16	56	1122H	2.93	1 1/16-6 Pt.	22	1276	4.65	2 3/8	19
909	8.18	1 7/16	56	1124	3.30	3/4-12 Pt.	22	CROWFOOT CAMBER WRENCHES			
909A	8.18	1 1/2	56	1124H	3.30	3/4-6 Pt.	22	1609	2.84	1 1/4	11
910	11.15	1 5/8	56	COMBINATION WRENCHES REGULAR				1611	2.84	1 5/16	11
910A	11.15	1 11/16	56	1158	1.48	1/4-6 Pt.	22	1612	2.84	1 13/32	11
911	16.70	1 13/16	56	1158A	1.48	9/32-6 Pt.	22	1613	2.84	1 7/16	11
911A	16.70	1 7/8	56	1159	1.63	5/16-12 Pt.	22	1614	2.84	1 1/2	11
912	16.70	2	56	1159A	1.70	1 1/32-12 Pt.	22	1615	2.84	1 3/8	11
"T" HANDLE SOCKET WRENCHES				1160	1.74	3/8-12 Pt.	22	SERVICE WRENCHES — O.E. EXTRA THIN			
961A	2.08	5/16	58	1161	2.05	7/16-12 Pt.	22	1932	3.85	1	19
961H	2.08	3/16	58	1162	2.20	1/2-12 Pt.	22	1934	3.85	1 1/16	19
961J	2.08	1/4	58	1163	2.30	9/16-12 Pt.	22	1936	3.85	1 1/8	19
962D	2.28	3/8	58	1164	2.50	5/8-12 Pt.	22	1940	3.85	1 1/4	19
962H	2.28	5/16	58	1165	2.80	1 1/16-12 Pt.	22	1944	3.85	1 3/8	19
963D	2.58	7/16	58	1166	2.92	3/4-12 Pt.	22	1946	4.70	1 7/16	19
963H	2.58	3/8	58	1167	3.85	7/8-12 Pt.	22	1948	4.70	1 1/2	19
964A	2.76	1/2	58	1167A	4.05	13/16-12 Pt.	22	1950	4.70	1 9/16	19
965D	3.05	9/16	58	1168	4.45	1 5/16-12 Pt.	22	1952	4.70	1 5/8	19
965H	3.05	7/16	58	1170	5.00	1 -12 Pt.	22	1954	4.98	1 11/16	19
966D	3.30	5/8	58	1171	6.05	1 1/16-12 Pt.	22	1956	4.98	1 3/4	19
966H	3.30	1/2	58	1172	7.10	1 1/8-12 Pt.	22	1958	4.98	1 13/16	19
967A	3.75	1 1/16	58	1173	8.30	1 1/4-12 Pt.	22	1960	4.98	1 7/8	19
967D	3.75	3/4	58	1174	9.20	1 5/16-12 Pt.	22	1964	4.98	2	19
967H	3.75	9/16	58	1176	11.76	1 7/16-12 Pt.	22	1966	4.98	2 1/16	19
968D	4.02	1 3/16	58	1178	13.00	1 1/2-12 Pt.	22	1968	4.98	2 1/8	19
968H	4.02	5/8	58	1180	14.50	1 5/8-12 Pt.	22	1970	4.98	2 3/16	19
968P	4.02	1 1/16	58	SERVICE WRENCHES — O.E. 30° ANGLE				1972	4.98	2 1/4	19
969A	4.60	7/8	58	1224	3.28	3/4	19	FOUR WAY RIM WRENCHES			
969H	4.60	3/4	58	1224A	3.28	1 1/8	19	2553	3.60	20" Standard	43
970D	5.12	1	58	1226	3.28	1 3/16	19	2554	11.30	25" Heavy Duty	43
970S	5.12	1 5/16	58	1228	3.28	7/8	19	BRAKE TOOLS			
971A	5.80	1 1/16	58	1230	3.28	1 5/16	19	2560	3.00	Brake Adj. Wrench	42
971D	5.80	1 1/8	58	1232	3.28	1	19	2561	4.00	Brake Adj. Wrench	42
971H	5.80	7/8	58	1232A	3.28	1 1/32	19	2566	1.65	Brake Spoon	42
973A	7.88	1 1/4	58	1234	3.28	1 1/16	19	2566A	1.65	Brake Spoon	42
973B	7.88	1 5/16	58	1236	3.28	1 1/8	19	2568	1.85	Brake Spoon	42
973H	7.88	1	58	1236S	3.28	1 5/16	19	2571	1.58	Conn. Rod Socket	12
974H	8.95	1 1/8	58	1238	3.28	1 3/16	19	2575	1.10	Petcock Wrench	43
975A	9.70	1 7/16	58	1240	3.28	1 1/4	19	2575-PK	6.60	(6) Petcock Wrench	43
975D	9.70	1 1/2	58	1242	4.04	1 5/16	19				
976A	11.12	1 5/8	58	1244	4.04	1 3/8	19				
976B	11.12	1 11/16	58	1246	4.04	1 7/16	19				
976H	11.12	1 1/4	58	1248	4.04	1 1/2	19				
977A	12.55	1 13/16	58								
977P	12.55	1 1/2	58								
977X	12.55	1 7/16	58								
978A	14.94	2	58								

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
2591	7.00	Stud Remover	11	2810	4.25	15/16 & 1 Long	24	DISTRIBUTOR WRENCHES			
●2591-2	1.75	Roller	■	2810C	4.25	7/8 & 1 Long	24	6508	3.15	9/16	47
●2591-3	.46	Pin	■	2811	7.00	1 & 1 1/8 Long	24	6509	2.75	1/2	47
CYLINDER HEAD WRENCHES				2811A	6.35	1 & 1 1/16 Long	■	6510	2.75	1/2	47
1/2 SQ. DRIVE				2812	8.15	1 1/4 & 1 3/8 Long	24	6511	2.75	1/2	47
2613	4.15	3/4	47	2812A	8.15	1 1/4 & 1 7/16 Long	24	6512	3.80	9/16 GMV6	■
2614	4.60	3/4	47	2812B	8.15	1 1/16 & 1 1/4 Long	24	6513	3.80	9/16 Buick	■
2615	4.30	5/8	47	2812C	7.40	1 1/8 & 1 1/4 Long	■	6514	3.80	7/16 Slant 6	■
2615A	3.75	1 1/16	■	2812D	8.15	1 1/16 & 1 1/8 Long	24	12 POINT			
2616	4.40	5/8	■	STARTER WRENCHES				STRIKING FACE BOX WRENCHES			
2617	4.00	1 1/16	47	2880	2.96	5/8 x 3/4	■	8807	10.76	1 1/16	55
FLARE NUT WRENCHES				2881	2.75	9/16 x 5/8	■	8807A	10.76	1 1/8	55
15° OFFSET				2883	2.75	9/16 x 5/8	■	8808	11.24	1 1/4	55
2612	See New No. EF1216			2884	2.75	9/16 x 3/4	■	8808A	11.24	1 5/16	55
2612H	See New No. EF1216H			BOX WRENCHES				8809	13.84	1 7/16	55
2618	See New No. EF1418			6-12 PT. 15° SHORT				8809A	13.84	1 1/2	55
2618H	See New No. EF1418H			2885	1.86	5/16 & 3/8 12 Pt.	24	8810	15.60	1 5/8	55
2630	See New No. EF2022			2885H	1.86	5/16 & 3/8 6 Pt.	24	8810A	15.60	1 11/16	55
2630H	See New No. EF2022H			2886	1.86	3/8 & 7/16 12 Pt.	24	8811	16.75	1 13/16	55
SAWS AND BLADES				2886H	1.86	3/8 & 7/16 6 Pt.	24	8811A	16.75	1 7/8	55
2623	5.70	Hacksaw	33	2887	1.86	7/16 & 1/2 12 Pt.	24	8812	17.65	2	55
2624	Replaced By New 2623			2887H	1.86	7/16 & 1/2 6 Pt.	24	8813	21.70	2 3/16	55
2625	Replaced By New 2629			2888	1.86	1/2 & 9/16 12 Pt.	24	8813A	21.70	2 1/4	55
2625B Pk	1.25	Blades for 2625		2888H	1.86	1/2 & 9/16 6 Pt.	24	8814	21.70	2 3/8	55
2627	.90	Midget Hacksaw	33	2889	2.20	9/16 & 5/8 12 Pt.	24	8815	25.65	2 9/16	55
2627B Pk	1.60	Blades for 2627 (10)		2889H	2.20	9/16 & 5/8 6 Pt.	24	8815A	25.65	2 5/8	55
2628	2.30	Steel Frame	33	BOX WRENCHES				8816	35.00	2 3/4	55
2629	5.40	Jab Saw	33	6-12 PT. 15° LONG				8816B	37.20	2 15/16	55
BRAKE PLIERS				2890	2.04	3/8 & 7/16 12 Pt.	24	8817	46.70	3	55
2680	4.35	Brake Spring Pliers	■	2890C	1.85	7/16 x 1/2 12 Pt.	■	8817A	46.70	3 1/8	55
2681	4.70	Brake Spring Pliers	42	2890H	2.04	3/8 & 7/16 6 Pt.	24	STRUCTURAL WRENCHES			
●2681A	1.15	Rep. Socket for 2681	42	2891	2.04	1/2 & 9/16 12 Pt.	24	12 PT. BOX - ALLOY			
OPEN END WRENCHES - 90° ANGLE				2891C	2.30	9/16 & 5/8 12 Pt.	24	8907	7.38	1 1/16	56
2723	2.20	3/8 & 7/16	20	2891H	2.04	1/2 & 9/16 6 Pt.	24	8907A	7.38	1 1/8	56
2725B	2.42	1/2 & 9/16	20	2892	2.58	5/8 & 1 1/16 12 Pt.	24	8908	8.16	1 1/4	56
2729	2.75	5/8 & 3/4	20	2892B	2.35	5/8 x 3/4 12 Pt.	■	8908A	8.30	1 5/16	56
BOX WRENCHES - 12 PT. DOUBLE OFFSET				2892H	2.58	5/8 & 1 1/16 6 Pt.	24	8909	10.90	1 7/16	56
2803	1.85	5/16 & 3/8 Short	24	2893	3.10	3/4 & 13/16 12 Pt.	24	8909A	10.90	1 1/2	56
2804	1.85	3/8 & 7/16 Short	24	2893B	3.15	3/4 & 7/8 12 Pt.	24	8910	12.84	1 5/8	56
2804C	2.52	7/16 & 1/2 Long	24	2894	6.00	7/8 & 15/16 12 Pt.	24	8910A	12.84	1 11/16	56
2804L	2.26	3/8 & 7/16 Long	24	2894A	6.00	7/8 & 1 12 Pt.	24	8911	13.50	1 13/16	56
2805	1.94	1/2 & 9/16 Short	24	2894B	6.00	15/16 & 1 12 Pt.	24	8911A	13.50	1 7/8	56
2805A	2.08	7/16 & 1/2 Short	24	2895B	6.30	15/16 & 1 1/16 12 Pt.	24	8912	14.42	2	56
2805L	2.60	1/2 & 9/16 Long	24	2895C	5.99	1 x 1 1/8 12 Pt.	■	8913	19.14	2 3/16	56
2806	2.25	9/16 & 5/8 Short	24	2895E	5.99	1 1/16 x 1 1/4 12 Pt.	■	8914	21.66	2 3/8	56
2806B	2.25	5/8 & 3/4 Short	24	2896	7.05	1 1/8 x 1 3/8 12 Pt.	■	8915	24.46	2 9/16	56
2806C	2.25	5/8 & 1 1/16 Short	24	2897	7.45	1 1/4 x 1 7/16 12 Pt.	■	8916	24.46	2 3/4	56
2806L	2.65	9/16 & 5/8 Long	24	2898	7.45	1 5/16 x 1 1/2 12 Pt.	■	AUTOMATIC TRANSMISSION TOOLS			
2807	2.92	5/8 & 3/4 Long	24	2898A	11.55	1 7/16 x 1 5/8 12 Pt.	■	27010	10.45	Univ. Band	
2807A	3.20	5/8 & 1 1/16 Long	24	ADAPTERS				Adj. Tool		48	
2808	3.20	3/4 & 7/8 Long	24	4206	1.62	Female-1/2 Male-3/8	11	●27011	5.39	Socket	■
2808B	3.20	1 1/16 & 2 5/32 Long	24	4211	4.38	Female-3/4 Male-1	15	●27012	.84	Handle	■
2808F	3.20	3/4 & 13/16 Long	24	4213	4.92	Female-1 Male-3/4	16	●27013	1.16	Cross Handle	■
2809	4.25	7/8 & 15/16 Long	24	4215	1.62	Female-3/8 Male-1/2	7	●27016	1.94	Spindle Assembly	■
2809C	4.25	13/16 & 7/8 Long	24	4216	1.37	Female-3/8 Male-1/4	7	●27017	1.63	Adapter Powerglide	■
				4217	1.20	Female-1/4 Male-3/8	4	●V785	1.00	Screw Driver	
				4298	2.02	Female-1/2 Male-3/4	11	Soc.		4	
				4299	2.62	Female-3/4 Male-1/2	15				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
●VS10	.79	Socket	3	27470	10.66	Torus Cover	50	A 26	1.36	1 ³ / ₁₆	10
27020	4.58	Band Adj. Gage	49	27510	2.90	Align. Pilot Pins	48	A 28	1.36	7/ ₈	10
27030	6.30	Front Servo Gage	48	27520	2.45	Align. Pilot Pins	48	A 30	1.52	1 ⁵ / ₁₆	10
27040	1.15	Rear Servo Gage	49	27530	2.45	Align. Pilot Pins	48	A 31	1.39	3 ¹ / ₃₂	■
27050	27.50	Clutch Spring Comp.	49	27540	2.45	Align. Pilot Pins	48	A 32	1.52	1	10
●27051	4.16	FX Segment	■	27550	6.14	Torque Extension	50	A 34	1.70	1 ¹ / ₁₆	10
●27052	6.07	Tension Bar	■	27560	16.86	Preset Torque Ratchet	51	A 36	1.96	1 ¹ / ₈	10
●27053	6.17	Tension Bar	■	27570	2.75	Adjusting Gage	51	A 38	2.05	1 ³ / ₁₆	10
●27054	1.91	Sliding Segment	■	27580	18.00	Preset Torque Ratchet	51	A 40	2.25	1 ¹ / ₄	10
●27056	8.38	Adapter Ring	■	27590	35.95	Ratchet & Gage Set	51	A 42	2.40	1 ⁵ / ₁₆	10
●27057	2.71	Adapter Ring	■	27590P	.85	Plastic Pouch	■	1/2 INCH SQ. DRIVE TOOL SETS			
●Y1011	.35	Nut	■	TRANSMISSION TOOL BOARDS				A 50B	37.43	18 Pc. Tool Set	13
27070	2.56	Dial Ind. Holder	49	27480		See New Number DB-ATT25DA		A 51B	38.31	20 Pc. Tool Set	13
27080	5.75	Sleeve Remover	50	27490		See New Number DB-ATT50DA		A 52B	18.05	9 Pc. Tool Set	13
●27081	1.54	Rod	■	27495		See New Number DB-ATT75DA		A 53B	18.28	9 Pc. Tool Set	13
●27082	1.54	Nut	■	27600		See New Number DB-ATT100DA & Exception Below		A 54B	64.99	26 Pc. Tool Set	13
●27084	1.76	Body Assembly	■	SNAP RING PLIERS				1/2 INCH SQ. DRIVE ATTACHMENTS			
●27085	1.76	Rod	■	27600	3.10	Internal-Angular	33	A 602	1.82	2 Extension	12
27090	1.11	Hub Ret. Bracket	48	27610	3.10	External-Angular	33	A 605	2.00	5 Extension	12
27110	2.02	Seal Installer	49	27620	2.85	Internal-Straight	33	A 610	2.80	10 Extension	12
27190	2.46	Set Link Pins (3)	■	27630	2.85	External-Straight	33	A 620	5.30	20 Extension	12
●27191	.90	Link Pin	■	AUTOMATIC TRANSMISSION TOOLS				A 636	8.25	36 Extension	12
●27192	.70	Link Pin	■	56800	18.70	Clutch Spr. Gage	50	A 650EA	1.45	Drain Plug Socket	43
●27193	1.10	Link Pin	■	56802	21.65	Servo Ring Comp.	50	A 650PK	8.70	6 On Card	■
27240	2.16	Throttle Press. Adj.	49	BALL JOINT & FRONT END TOOLS				A 720	6.09	12 ⁵ / ₈ Hinge Handle	■
27330	6.32	Blow Gun	49	56804	6.75	Socket	42	A 722	7.20	15 ¹ / ₂ Hinge Handle	12
●27331	4.20	Nozzle	■	56806	6.75	Socket	42	A 724	7.50	18 ¹ / ₂ Hinge Handle	12
●27332	2.43	Elbow Extension	■	56808	5.43	Remover	42	A 728	9.65	24 Hinge Handle	12
●27333	.23	Rubber Tip	■	56810	18.31	Clutch Ring Comp.	50	A 730	3.70	Sliding "T" Handle	12
27340	4.60	Parallel Jaw Plier	33	56813	7.95	Socket	42	A 740	4.95	14 ¹ / ₂ Speeder Handle	■
27350	3.69	Rear Unit Holder	49	56820	5.92	Remover	■	A 744	5.35	Speeder Handle	12
27360	8.25	End Play Guide	49	56830	5.92	Tie Rod Slv. Spreader	■	A 760	3.88	Universal Joint	12
27370	6.46	Gov. Sleeve Aligner	48	1/2 INCH SQ. DRIVE SOCKETS				A 775	.85	8 Cross Bar	12
27380	13.40	Oil Del. Sl. Ring Comp.	49	12 PT. REGULAR				A 785	1.62	Drag Link Socket	12
27430	.60	Lifting Tool	49	A 12	1.10	3/ ₈	10	A 786	1.62	Drag Link Socket	12
27430 2	1.15	Brake Cyl. Clamps-2	42	A 14	1.10	7/ ₁₆	10	A 787	1.82	Drag Link Socket	12
27440	15.95	Rear Servo Sprg. Comp.	50	A 16	1.10	1 ¹ / ₂	10	1/2 INCH SQ. DRIVE TOOL SETS			
●27445	3.25	Screw Assembly	■	A 17	.99	1 ⁷ / ₃₂	■	AA 16B1	22.98	13 Pc. Tool Set	13
27450	.63	Bearing Remover	■	A 18	1.10	9/ ₁₆	10	AA 18B	23.44	Socket Set 12 Pc.	■
27460	12.00	Oil Press Gage	49	A 19	1.10	1 ⁹ / ₃₂	10	AA 707	8.60	Rev. Ratchet	12
●27461	1.28	Extension	■	A 20	1.10	5/ ₈	10	●AA 707R	2.15	Ratchet Repair Kit	12
●27462	4.29	Gage Only	■	A 21	1.20	2 ¹ / ₃₂	10	CROWFOOT — OPEN END TYPE			
●27463	3.47	66" Hose	■	A 22	1.20	1 ¹¹ / ₁₆	10	1/2 IN. DRIVE			
●27464	1.60	18" Hose	■	A 24	1.25	3/ ₄	10	AC 30	3.32	1 ¹⁵ / ₁₆	11
●27465	.28	Female Connection	■	A 25	1.30	2 ⁵ / ₃₂	10	AC 32	3.32	1	11
●27466	.60	Nipple	■					AC 34	3.52	1 ¹ / ₁₆	11
●27467	.46	Bushing	■					AC 36	3.52	1 ¹ / ₈	11
●27468	.46	45° Elbow-Male	■					AC 38	3.52	1 ³ / ₁₆	11
●27469	.92	Glass	■					AC 40	3.52	1 ¹ / ₄	11
●27173	.46	Male Conversion	■					AC 42	3.80	1 ⁵ / ₁₆	11
●27175	.46	90° Elbow (Male)	■					AC 44	3.80	1 ³ / ₈	11
								AC 46	3.80	1 ⁷ / ₁₆	11

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
AC 48	3.80	1 1/2	11	AH 36	1.96	1 1/8	10	SOCKETS 8 PT. 1/2 INCH DR. REGULAR			
AC 50	4.08	1 9/16	11	AH 38	2.05	1 3/16	10	AS 12	1.25	3/8	10
AC 52	4.08	1 5/8	11	AH 40	2.25	1 1/4	10	AS 14	1.25	7/16	10
AC 54	4.08	1 11/16	11	SOCKETS 12 PT. DEEP 1/2 INCH SQ. DR. Old No.				AS 16	1.25	1/2	10
AC 56	4.88	1 3/4	11	AL 16	2.00	1/2	10	AS 18	1.25	9/16	10
AC 58	4.88	1 13/16	11	AL 18	2.00	9/16	10	AS 20	1.30	5/8	10
AC 60	4.88	1 7/8	11	AL 20	2.00	5/8	10	AS 22	1.47	1 1/16	10
AC 62	5.72	1 5/16	11	AL 22	2.00	1 1/16	10	AS 24	1.67	3/4	10
AC 64	5.72	2	11	AL 24	2.00	3/4	10	AS 26	1.94	13/16	10
AC 66	5.72	2 1/16	11	AL 26T	2.05	13/16	10	AS 28	2.05	7/8	10
AC 68	7.10	2 1/8	11	AL 28	2.20	7/8	10	AS 30	2.35	1 5/16	10
AC 70	7.10	2 3/16	11	AL 28T	2.20	7/8	10	AS 32	2.35	1	10
AC 72	7.10	2 1/4	11	AL 30	2.40	1 5/16	10	SENSORY TORQUE WRENCHES 1/2 INCH DR.			
AC 74	8.20	2 5/16	11	AL 32	2.50	1	10	AS 25	47.20	0-25 Ft. Lbs.	■
AC 76	8.20	2 3/8	11	AL 32T	2.50	1	10	AS 50	49.00	0-50 Ft. Lbs.	■
AC 78	8.20	2 7/16	11	AL 34	2.50	1 1/16	10	AS 100	51.50	0-100 Ft. Lbs.	■
AC 80	8.20	2 1/2	11	AL 36	2.70	1 1/8	10	AS 150	60.80	0-150 Ft. Lbs.	■
AC 82	8.20	2 9/16	11	SOCKETS 6 PT. DEEP 1/2 INCH SQ. DR.				AS 200	79.20	0-200 Ft. Lbs.	■
AC 84	8.88	2 5/8	11	ALH 12	1.94	3/8	10	AS 300 1	47.20	0-300 In. Lbs.	■
AC 86	8.88	2 11/16	11	ALH 14	1.94	7/16	10	AS 600 1	49.00	0-600 In. Lbs.	■
AC 88	8.88	2 3/4	11	ALH 16	1.94	1/2	10	AS 1200 1	51.50	0-1200 In. Lbs.	■
AC 90	8.88	2 13/16	11	ALH 18	1.94	9/16	10	AS 1800 1	60.80	0-1800 In. Lbs.	■
AC 92	8.88	2 7/8	11	ALH 20	1.94	5/8	10	AS 2400 1	79.20	0-2400 In. Lbs.	■
AC 94	8.88	2 15/16	11	ALH 22	1.94	1 1/16	10	WOBBLE DRIVE EXTENSIONS			
AC 96	8.88	3	11	ALH 24	1.94	3/4	10	AT-4	1.88	3/8 Drive 6"	8
TORQUE WRENCHES 1/2 INCH DR.				ALH 26	2.05	13/16	10	AT-5	2.80	3/8 Drive 12"	8
ADR Series See Page 17				ALH 28	2.25	7/8	10	AT-31	1.50	3/8 Drive 3"	8
CROWFOOT — BOX TYPE 1/2 INCH DR.				ALH 30	2.40	1 5/16	10	HEX KEYS			
AF 36	4.00	1 1/8	11	ALH 32	2.50	1	10	AW	.09	EA .028 Regular	25
AF 38	4.58	1 3/16	11	ALH 34	2.50	1 1/16	10	AWO	.09	EA .035 Regular	25
AF 40	4.64	1 1/4	11	ALH 36	2.62	1 1/8	10	AW 1	.09	EA .050 Regular	25
AF 42	4.88	1 5/16	11	ALH 40	3.00	1 1/4	10	AW 2	.09	EA 1/16 Regular	25
AF 44	5.08	1 3/8	11	SPARK PLUG SOCKET 1/2 INCH SQ. DR.				AW 2 1/2	.09	EA 5/64 Regular	25
AF 46	5.25	1 7/16	11	ALH 26R	1.90	1 3/16 Opening	10	AW 3	.09	EA 3/32 Regular	25
AF 48	5.50	1 1/2	11	● Y1050	1.50	Rubber Insert-Pkg. 6		AW 3 1/2	.09	EA 7/64 Regular	25
AF 50	5.80	1 9/16	11	ADAPTERS-POWER ATTACHMENTS				AW 4	.09	EA 1/8 Regular	25
AF 52	6.00	1 5/8	11	AP 23	1.95	3/8 F x 1/2 M	17	AW 4 1/2	.09	EA 9/64 Regular	25
AF 54	6.30	1 11/16	11	AP-32	2.14	1/2 F x 3/8 M	17	AW 5	.11	EA 5/32 Regular	25
AF 56	6.50	1 3/4	11	AP-43	2.14	5/8 F x 1/2 M	17	AW 6	.12	EA 3/16 Regular	25
AF 58	6.90	1 13/16	11	AP-53	2.75	3/4 F x 1/2 M	17	AW 7	.15	EA 7/32 Regular	25
AF 60	7.20	1 7/8	11	STANDARD TORQUE WRENCHES 1/2 INCH DR.				AW 8	.20	EA 1/4 Regular	25
AF 62	7.50	1 15/16	11	AP 25	35.70	0-25 Ft. Lbs.	■	AW 10	.34	EA 5/16 Regular	25
AF 64	7.70	2	11	AP 50	37.40	0-50 Ft. Lbs.	■	AW 12	.48	EA 3/8 Regular	25
SOCKETS 6 PT. 1/2 INCH DR. REGULAR				AP 100	40.00	0-100 Ft. Lbs.	■	AWL 2 1/2	.14	EA 5/64 Long	25
AH 12	1.10	3/8	10	AP 150	44.80	0-150 Ft. Lbs.	■	AWL 3	.15	EA 3/32 Long	25
AH 14	1.10	7/16	10	AP 200	69.00	0-200 Ft. Lbs.	■	AWL 4	.17	EA 1/8 Long	25
AH 16	1.10	1/2	10	AP 300 1	35.70	0-300 In. Lbs.	■	AWL 5	.20	EA 5/32 Long	25
AH 18	1.10	9/16	10	AP 600 1	37.40	0-600 In. Lbs.	■	AWL 6	.23	EA 3/16 Long	25
AH 18V	1.29	9/16 Old No. F-18	12	AP 1200 1	40.00	0-1200 In. Lbs.	■	AWL 7	.28	EA 7/32 Long	25
AH 20	1.10	5/8	10	AP 1800 1	44.80	0-1800 In. Lbs.	■	AWL 8	.35	EA 1/4 Long	25
AH 22	1.20	1 1/16	10	AP 2400 1	69.00	0-2400 In. Lbs.	■	AWL 10	.49	EA 5/16 Long	25
AH 24	1.25	3/4	10	PLIERS				B 6	.99	6 Combination	30
AH 26	1.36	13/16	10					B 8	1.43	8 Combination	30
AH 28	1.36	7/8	10					B 10	2.05	10 Combination	30
AH 30	1.52	1 5/16	10								
AH 32	1.52	1	10								
AH 34	1.70	1 1/16	10								

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
B 13	3.20	4 1/2 Flat Nose	30	●BU 40 9	.46	Driver	■	CHISELS — PUNCHES — PRY BARS			
B 14	3.26	4 1/2 Chain Nose	30	●BU41 1	.46	Driver	■	C 1	.73	5/16 Flat	29
B 16	3.55	5 Diagonal	30	●BU41 2	.46	Driver	■	C 1N	.73	1/4 Flat	29
B 17	4.10	6 Diagonal	30	●BU41 3	.46	Driver	■	C 2	.90	7/16 Blade Chisel	■
B 18	4.25	7 H.D. Diagonal	30	●BU41 4	.46	Driver	■	C 2A	1.01	1/2 Flat	29
B 19	4.80	7 Diagonal	30	●BU41 5	.46	Driver	■	C 2N	.90	3/8 Flat	29
B 20	2.80	8 Battery	30	●BU41 6	.57	Driver	■	C 3	1.22	5/8 Flat	29
B 21	3.43	7 3/4 Horseshoe Lock	31	●BU41 7	.57	Driver	■	C 3L	1.50	5/8 Flat	29
B 22	3.85	6 Lineman's	31	●BU41 7A	.57	Driver	■	C 4	1.52	3/4 Flat	29
B 23	4.95	8 1/2 Lineman's	31	●BU42 1	.69	Handle	■	C 4L	1.95	3/4 Flat	29
B 25	4.15	6 Long Needle	31	●BU42 2	1.04	Handle	■	C 5	1.95	7/8 Flat	29
B 29	5.08	7 1/2 Combination	31	●BU42 3	1.50	Handle	■	C 6	2.18	1" Flat	29
B 30	3.93	6 1/2 Duck Bill	31	●BU43 1	.35	Nut	■	C 6L	2.45	1" Flat	29
B 33	3.48	7 Hog Ring	31	●BU43 2	.41	Nut	■	C 7	2.53	1 1/4 Blade Chisel	■
B 35	2.50	5 Rib Joint	31	ADJUSTABLE WRENCHES				C 10	2.32	7/8 Blade Chisel (Long)	■
B 36	1.65	6 Combination	31	BW4	2.93	Length 4 1/4	26	C 12	1.17	1/4 Cape	29
B 38	2.05	8 Combination	31	●BW4 1	.60	Jaw Only	■	C 13	1.50	3/8 Cape	29
B 41	2.48	6 1/2 Thin Nose	31	●BW4 2	.25	Knurl	■	C 15	1.10	1/4 Dia. Point	29
B 42	4.80	5 1/2 Needle Nose	32	●BW4 3	.10	Pin	■	C 16	1.22	3/8 Blade Chisel Dmnd. Point	■
B 43	3.45	8 Corbin Hose Clamp	32	●BW4 4	.10	Spring	■	C 16N	1.34	3/8 Dia. Point	29
B 44	2.90	6 1/2 Rib Joint	32	BW6	2.98	Length 6 3/8	26	C 18	.90	1/4 Blade Chisel Rd. Nose	■
B 45	4.38	10 Rib Joint	32	●BW6 1	.60	Jaw Only	■	C 19	1.58	3/8 Blade Chisel Rd. Nose	■
B 46	4.18	8 Chain Nose	32	●BW6 2	.25	Knurl	■	C 21	.69	1/16 Pt. Solid Punch	■
B 47	4.18	8 Duck Bill	32	●BW6 3	.10	Pin	■	C 22	.85	1/8 Pt. Solid Punch	■
B 48	4.55	14" Rib Joint	32	●BW6 4	.10	Spring	■	C 23	1.00	3/16 Pt. Solid Punch	■
B 50	5.45	Metal Cutting R.H.	32	BW8	3.37	Length 8 1/8	26	C 24N	1.00	3/16 Punch	29
B 51	5.45	Metal Cutting L.H.	32	●BW8 1	.75	Jaw Only	■	C 25	1.18	5/32 Drift Punch	29
B 52	5.45	Metal Cutting Str.	32	●BW8 2	.30	Knurl	■	C 26	1.39	3/16 Drift Punch	29
●B 50 1	.35	Center Nut & Bolt	■	●BW8 3	.10	Pin	■	C 27N	1.62	1/4 Drift Punch	29
●B 50 2	.35	Handle Nut & Bolt	■	●BW8 4	.10	Spring	■	C 28	.92	1/8 Pin Punch	29
●B 50 3	.35	Spring	■	BW10	4.26	Length 10 1/8	26	C 29	1.00	3/16 Pin Punch	29
B 56	1.79	6 1/2 Straight Nose	32	●BW10 1	1.00	Jaw Only	■	C 30	1.10	1/4 Pin Punch	29
B 75	3.20	7 3/4 Hose Clamp	32	●BW10 2	.35	Knurl	■	C 32	1.35	3/8 Prick Punch	29
B 100	2.71	7 Plier Wrench	32	●BW10 3	.10	Pin	■	C 34	1.35	3/8 Center Punch	29
B 102	3.15	10" Plier Wrench	32	●BW10 4	.10	Spring	■	C 36	2.55	5/8 Rivet Buster	29
B 310	2.92	10" Combination	31	BW12	6.28	Length 12 1/4	26	C 38	2.50	3/4 Pry Bar	29
●B 6 thru				●BW12 1	1.50	Jaw Only	■	C 39	3.49	9/16 Rolling Hd. Bar	29
●B 310	.32	Nut & Bolts (set)	■	●BW12 2	.60	Knurl	■	C 45R	7.96	5 Pc. Chisel Set	29
BRAKE TOOLS				●BW12 3	.20	Pin	■	C 46R	17.45	13 Pc. Chisel Set	29
BT1214	2.25	Bleeder Wrench	■	●BW12 4	.20	Spring	■	TOOL CABINET — NO TOOLS			
BUSHING DRIVERS				BW15	9.52	Length 15 5/16	26	●CC5	2.77	Master Lock & Key (For CC5)	■
BU40B	10.60	Bushing Drive Set	44	●BW15 1	2.25	Jaw Only	■	CC 15	105.00	Cabinet	64
●BU40 1A	.35	Driver	■	●BW15 2	.70	Knurl	■	●CC 15 8	2.31	Master Lock & Key	■
●BU40 2	.35	Driver	■	●BW15 3	.25	Pin	■	●CC 15 6	2.20	Master Lock	■
●BU40 3	.35	Driver	■	●BW15 4	.15	Spring	■	●CC 15 5	1.85	Lock & Key Assy.	■
●BU40 5	.35	Driver	■	BW18	15.73	Length 18 1/2	26	C. CLAMPS			
●BU40 7	.35	Driver	■	●BW18 1	2.60	Jaw Only	■	CC 104	8.13	0" - 4" Heavy Duty	■
●BU40 8	.35	Driver	■	●BW18 2	.80	Knurl	■	CC 106	10.08	2" - 6" Heavy Duty	■
				●BW18 3	.25	Pin	■				
				●BW18 4	.15	Spring	■				
				Show on orders for spare parts if thick or thin jaw type.							
				ADJ. WRENCH REPAIR KIT							
				●BW	16.00	Indicate Thin Jaw or Thick Jaw	■				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
CC 108	12.10	4" - 8" Heavy Duty	■	E 4	.64	5/16	■	EF 1418	2.20	2618 12 Pt.	25
CC 110	14.41	6" - 10" Heavy Duty	■	E 5	.64	5/16	■	EF 1418H	2.20	2618H 6 Pt.	25
CC 402	3.00	0" to 2" Regular	59	E 6	.82	5/16	■	EF 2022	2.60	2630 12 Pt.	25
CC 403	3.70	0" to 3" Regular	59	E 7	.70	15/64 x 17/64	■	EF 2022H	2.60	2630H 6 Pt.	25
CC 404	4.70	0" to 4" Regular	59	E 8	.70	7/32 x 7/16	■	COMBINATION - FLARE & RATCHETING OPEN END WRENCHES			
CC 406	6.00	0" to 6" Regular	59	E 9	.70	1/2	■	EF 4004	12.21	Set	■
CC 408	7.75	2" - 8" Regular	■	E 10	.70	3/8 x 7/16	■	● EF 4004P	.98	Pouch - 4 Pocket	■
CC 410	10.02	2" - 10" Regular	■	E 11	1.69	15/64 x 9/32	■	● EF 4004P-1	.15	Pouch - Single Pocket	■
CC 412	12.51	2" - 12" Regular	■	ELECTRICAL WRENCHES - 15° & 60°				EF 4012	2.72	3/8 Opening	25
SPINNER WRENCHES				E 14	1.37	13/64 & 15/64	20	EF 4014	2.99	7/16 Opening	25
CH 06	1.42	3/16	25	E 16	1.37	15/64 & 13/64	20	EF 4016	3.09	1/2 Opening	25
CH 08	1.42	1/4	25	E 18	1.37	7/32 & 1/4	20	EF 4018	3.41	9/16 Opening	25
CH 10	1.42	5/16	25	E 20	1.37	1/4 & 7/32	20	POWER EXTENSIONS			
CH 11	1.42	11/32	25	E 22	1.37	9/32 & 5/16	20	EP 2-3	1.66	3/8 Drive-3	17
CH 12	1.42	3/8	25	E 24	1.37	5/16 & 9/32	20	EP 2-6	1.85	3/8 Drive-6	17
CH 14	1.52	7/16	25	E 26	1.37	11/32 & 3/8	20	EP 3-5	2.29	1/2 Drive-5	17
CH 16	1.65	1/2	25	E 28	1.50	3/8 & 11/32	20	EP 3-10	3.10	1/2 Drive-10	17
SCREWDRIVERS - CLUTCH HEAD				E 30	1.50	7/16 & 1/2	20	EP 5-4	4.13	3/4 Drive-4	17
CL	7.55	5 Pc. Set	28	MINIATURE DOUBLE OFFSET BOX				EP 5-10	6.80	3/4 Drive-10	17
CL 3	1.59	5/32 Bit	28	E 40	1.52	3/16 & 13/64 - 6 Pt.	24	BODY AND FENDER TOOLS			
CL 5	1.95	1/4 Bit	28	E 40A	1.52	3/16 & 7/32 - 12 Pt.	24	F 2	7.00	Toe Dolly	40
CL 6	2.18	9/32 Bit	28	E 42	1.52	7/32 & 15/64 - 6 Pt.	24	F 3	6.80	Heel Dolly	40
CL 7	2.39	5/16 Bit	28	E 44	1.52	1/4 & 9/32 - 12 Pt.	24	F 4	6.00	Low Crown Dolly	40
CL 13	1.23	5/32 Bit	28	E 46	1.52	5/16 & 11/32 - 12 Pt.	24	F 5	7.40	Wedge Dolly	40
CL 15	1.23	1/4 Bit	28	WRENCHES - OPEN END - 15°				F 6	9.40	Gen. Purpose Dolly	40
SCREWDRIVERS - PHILLIPS				E 810	1.15	1/4 & 5/16	20	F 7	6.85	Utility Dolly	40
CP	6.26	4 Pc. Set	28	E 1011	1.31	5/16 & 11/32	20	F 10	4.79	Hand Hold Dolly	■
CP 1	1.25	3/16 Blade	28	E 1012	1.31	5/16 & 3/8	20	F 11	4.29	Angle Dolly	■
CP 2	1.42	1/4 Blade	28	E 1214	1.41	3/8 & 7/16	20	F 12	5.33	Hand Hold Dolly	■
CP 3	1.90	5/16 Blade	28	E 1216	1.48	3/8 & 1/2	20	F 13	6.80	Comb. Spoon	40
CP 4	2.39	3/8 Blade	28	E 1416	1.48	7/16 & 1/2	20	F 14	10.00	Wing Ding Dolly	40
CS 1	.86	Carbon Scraper	46	E 1418	1.63	7/16 & 9/16	20	F 15	6.00	Long Curved Spoon	40
AUTOMATIC TRANSMISSION TOOL BOARDS				E 1618	1.63	1/2 & 9/16	20	F 16	3.50	Light Dinging Spoon	40
DB-ATT25DA	248.37	Board & 33 Pc. Tool Asst.	■	E 1619	1.49	1/2 x 19/32	■	F 18	See New No. AH18V		
DB-ATT25	10.00	Net Board Only	■	E 1820	1.93	9/16 & 5/8	20	F 24	2.66	File Holder Wood	41
DB-ATT50DA	70.16	Board & 10 Pc. Tool Asst.	■	E 1822	2.09	9/16 x 11/16	■	F 25	6.80	Curved Tooth File	41
DB-ATT50	4.40	Net Board Only	■	E 1925	2.30	19/32 & 25/32	20	F 26	43.40	6 F25 Blades & 1 F24	41
DB-ATT75DA	24.98	Board & 5 Pc. Tool Asst.	■	E 2022	2.30	5/8 & 11/16	20	F 31	6.39	Flex File Holder	41
DB-ATT75	2.50	Net Board Only	■	E 2024	2.30	5/8 & 3/4	20	HACK SAW BLADES			
DB-ATT100DA	77.09	Board & 11 Pc. Tool Asst.	■	E 2224	2.52	11/16 & 3/4	20	F 1018	.18	EA. 10 Coarse	33
DB-ATT100	4.40	Net Board Only	■	E 2426	2.80	3/4 & 13/16	20	F 1024	.18	EA. 10 Medium	33
SCREW DRIVERS - SPARK TEST				E 2428	2.80	3/4 & 7/8	20	F 1032	.18	EA. 10 Fine	33
E 02	1.22	3/32 Shank 5 1/4	27	E 2628	3.02	13/16 & 7/8	20	F 1218	.27	EA. 12 Coarse	33
E 03	1.60	5/32 Shank 6 5/8	27	E 2830	3.50	7/8 & 15/16	20	F 1224	.27	EA. 12 Medium	33
● E 03B	.25	Neon Tube	27	E 2832	3.85	7/8 x 1	■	F 1232	.27	EA. 12 Fine	33
IGNITION WRENCHES				E 3032	4.23	15/16 & 1	20				
E 2	.64	1/4 x 1/4	■	E 3236	4.88	1 & 11/8	20				
E 3	.64	17/64 x 9/32 x 11/32	■	E 3436	4.88	1 1/16 & 1 1/8	20				
				E 3440	5.81	1 1/16 & 1 1/4	20				
				E 3640	5.81	1 1/8 & 1 1/4	20				
				E 4042	8.80	1 1/4 & 1 5/16	20				
				E 4044	8.80	1 1/4 & 1 3/8	20				
				FLARE NUT WRENCHES 15° OFFSET Old No.							
				EF 1216	2.00	2612 12 Pt.	25				
				EF 1216H	2.00	2612H 6 Pt.	25				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
BODY AND FENDER				3/4 INCH SQUARE DRIVE				IGNITION TOOLS			
FB 4B	68.79	Body and Fender Set 11 Pc.	■	HD 1B	114.16	20 Pc. Tool Set	14	IG100	24.95	Diode Tester	■
FB 9B	114.71	Body and Fender Tool Set	41	HACKSAW BLADES				IG110	17.00	Diode Press	■
CHAIN SAW FILES				HS 1018	.88	EA. 10 Coarse	33	IG120	6.40	Needle Brg. Adapter Kit	■
FCS 1	1.91	EA. Diamond	■	HS 1024	.88	EA. 10 Medium	33	●IG120 1	2.44	Remover Support	■
FCS 2	1.08	EA. Narrow Mill	■	HS 1032	.88	EA. 10 Fine	33	●IG120 2	1.25	Remover Adapter	■
FCS 3	1.03	EA. Round 8 x 7/32	■	HS 1218	1.06	EA. 12 Coarse	33	●IG120 3	1.75	Installing Support	■
FCS 4	1.03	EA. Round 8 x 1/4	■	HS 1224	1.06	EA. 12 Medium	33	●IG120 4	1.95	Installing Adapter	■
FILES AND FILE HANDLES				HS 1232	1.06	EA. 12 Fine	33	IG130	1.85	Rotor Shaft B.B. Tool	■
FFB 6	1.00	EA. 6 Flat File	34	5/8 INCH SQUARE DRIVE IMPACT SOCKETS — 6 & 8 PT.				IG140	22.40	Pully & Rotor Shaft Puller	■
FFB 8	1.20	EA. 8 Flat File	34	Deep				IG150	2.32	Rotor Shaft Grease Ret. Tool	■
FFB 10	1.55	EA. 10 Flat File	34	I 4230L	2.60	1 5/16 6 PT.	■	IG170	4.90	Slip Ring Installer	■
FFB 12	2.12	EA. 12 Flat File	34	I 4236L	3.30	1 1/8 6 PT.	■	IG200	70.95	Kit Above 7 Tools	■
FFB 14	2.90	EA. 14 Flat File	34	I 4242L	3.05	1 5/16 6 PT.	■	IG210	23.40	Kit IG110 & IG120	■
FH 2	.18	Wood Hdle. 6" & 8"	34	I 4248L	3.39	1 1/2 6 PT.	■	BATTERY TOOLS			
FH 3	.20	Wood Hdle. 10", 12" & 14"	34	I 4326L	2.35	1 3/16 8 PT.	■	IG300	2.03	Battery Post & Cable Cleaner	■
FH 4	.22	Wood Hdle. 16"	34	I 4328L	2.45	7/8 8 PT.	■	●IG300R	1.55	Replacement Brushes	■
FHB 6	1.32	EA. 6 Half Rd. File	34	I 4330L	2.80	1 5/16 8 PT.	■	FEELER GAUGE BLADES — 3-5/16" LONG			
FHB 8	1.60	EA. 8 Half Rd. File	34	I 4336L	3.60	1 1/8 8 PT.	■	K 0015	.17	EA .0015	36
FHB 10	2.00	EA. 10 Half Rd. File	34	3/4 INCH SQUARE DRIVE IMPACT SOCKETS — 6 PT. REGULAR LENGTH				K 002	.17	EA .002	36
FHB 12	2.60	EA. 12 Half Rd. File	34	I 5224	2.36	3/4	17	K 003	.17	EA .003	36
FHB 14	3.32	EA. 14 Half Rd. File	34	I 5226	2.36	13/16	17	K 004	.17	EA .004	36
FIP	.29	Point Files 12 on Card	34	I 5228	2.36	7/8	17	K 005	.17	EA .005	36
FMB 6	.68	EA. 6 Mill File	34	I 5230	2.36	15/16	17	K 006	.17	EA .006	36
FMB 8	.82	EA. 8 Mill File	34	I 5232	2.36	1	17	K 007	.17	EA .007	36
FMB 10	1.06	EA. 10 Mill File	34	I 5234	2.49	1 1/16	17	K 008	.17	EA .008	36
FMB 12	1.60	EA. 12 Mill File	34	I 5236	2.75	1 1/8	17	K 009	.17	EA .009	36
FMB 14	2.24	EA. 14 Mill File	34	I 5238	2.85	1 3/16	17	K 010	.17	EA .010	36
FMB 16	3.00	EA. 16 Mill File	34	I 5240	3.00	1 1/4	17	K 011	.17	EA .011	36
FRB 6	.76	EA. 6 Round File	34	I 5242	3.36	1 5/16	17	K 012	.17	EA .012	36
FRB 8	.96	EA. 8 Round File	34	I 5244	3.55	1 3/8	17	K 013	.17	EA .013	36
FRB 10	1.20	EA. 10 Round File	34	I 5246	3.79	1 7/16	17	K 014	.17	EA .014	36
FRB 12	1.60	EA. 12 Round File	34	I 5248	3.90	1 1/2	17	K 015	.17	EA .015	36
FXST 5	.48	EA. 5 Slim File	34	I 5426	6.25	1 3/16 4 Pt. (Budd Wheel)	17	K 016	.17	EA .016	36
FXST 6	.60	EA. 6 Slim File	34	3/4 INCH SQUARE DRIVE IMPACT SOCKETS 6 POINT DEEP				K 017	.17	EA .017	36
FXST 8	.86	EA. 8 Slim File	34	I 5224L	3.68	3/4	17	K 018	.17	EA .018	36
MINIATURE WRENCHES				I 5226L	3.74	13/16	17	K 018B	.17	EA .018 Offset	36
15° DOUBLE END				I 5228L	3.74	7/8	17	K 019B	.17	EA .019 Offset	36
H 10	1.40	3/16 & 7/32	20	I 5230L	3.74	15/16	17	K 019	.17	EA .019	36
H 12	1.40	1/4 & 9/32	20	I 5232L	3.74	1	17	K 020	.17	EA .020	36
H 14	1.56	5/16 & 11/32	20	I 5234L	3.98	1 1/16	17	K 020B	.17	EA .020 Offset	36
H 16	1.56	3/8 & 7/16	20	I 5236L	3.98	1 1/8	17	K 021	.17	EA .021	36
H 18	1.56	13/32 & 15/32	20	I 5240L	4.82	1 1/4	17	K 021B	.17	EA .021 Offset	36
				I 5242L	5.02	1 5/16	■	K 022	.17	EA .022	36
				I 5248L	7.00	1 1/2	17	K 024B	.17	EA .024 Offset	36
				Impact Sockets and Attachments are not guaranteed against breakage, nor wear, but are guaranteed against DEFECTS IN MATERIAL OR WORKMANSHIP.				K 024	.17	EA .024	36
								K 025	.17	EA .025	36
								K 025B	.17	EA .025 Offset	36
								K 026	.17	EA .026	36

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
K 026B	.17	EA .026 Offset	36	KL 021	.40	EA .021	36	METRIC SETS — 3/8 SQ. DRIVE			
K 028	.17	EA .028	36	KL 022	.40	EA .022	36	M 205R	15.21	7 Pc. Comb. Wrench	18
K 030	.17	EA .030	36	KL 024	.40	EA .024	36	M 215B	14.20	9 Pc. Socket & Ratchet	■
K 032	.17	EA .032	36	KL 025	.40	EA .025	36	M 250R	8.83	4 Pc. Box Wrench Set	18
K 035	.17	EA .035	36	KL 026	.40	EA .026	36	M 251R	15.79	8 Pc. Open End	18
K 040	.17	EA .040	36	KL 028	.40	EA .028	36	M 253B	24.02	17 Pc. Master	18
HOLDING TOOLS				KL 032	.40	EA .032	36	CHESTS AND METAL BOXES NO TOOLS			
K 1	1.50	9 Magnetic	28	KL 035	.40	EA .035	36	MB 8	2.42	4 1/2 x 2 x 3/4	■
K 2	3.10	17 - 27 Magnetic	28	KL 040	.60	EA .040	36	MB 12	2.40	6 x 4 x 1	■
K 4	.99	4 Handy	28	SOCKETS — 1/2 INCH DRIVE DEEP				MB 16	3.29	7 1/2 x 3 1/4 x 1 1/8	■
K 6	.99	6 Handy	28	LD 16	See New No.	AL 16	■	MB 20	3.29	8 1/4 x 3 3/4 x 1 1/2	■
K 8	1.15	8 Handy	28	LD 18	See New No.	AL 18	■	MB 22	1.40	6 1/2 x 2 1/2 x 1	■
K 26	1.60	Pocket Magnetic	28	LD 20	See New No.	AL 20	■	MB 22-1	1.40	6 1/2 x 2 1/2 x 1	■
FEELER GAUGES				LD 22	See New No.	AL 22	■	MB 24	4.65	8 5/8 x 5 3/4 x 1 1/4	■
K 50	1.42	EA. Brake	36	LD 24	See New No.	AL 24	■	MB 30	2.20	8 1/4 x 3 3/8 x 1 1/2	■
K 51	2.48	EA. Combination	36	LD 26T	See New No.	AL 26T	■	MB 34	2.65	14 3/4 x 3 x 1 1/2	■
K 52	1.45	EA. Ignition	36	LD 28	See New No.	AL 28	■	MB 36	3.23	13 x 3 x 2	■
K 53	2.66	EA. Universal	36	LD 28T	See New No.	AL 28T	■	MB 37-1	3.00	12 9/16 x 2 11/16 x 1 3/4	■
K 54	1.40	EA. Standard	36	LD 30	See New No.	AL 30	■	MB 40	4.35	18 x 2 1/2 x 1 7/8	■
K 55	1.95	EA. Piston	36	LD 32	See New No.	AL 32	■	MB 44	5.75	18 x 4 x 2	■
K 56	.38	EA. Holder	36	LD 32T	See New No.	AL 32T	■	MB 46	2.90	17 1/2 x 3 1/2 x 2	■
K 57	1.59	EA. Spark Plug	36	LD 34	See New No.	AL 34	■	MB 50	2.62	18 3/8 x 6 1/4 x 1 7/8	■
K 58	1.60	EA. Comb. OHV	36	LD 36	See New No.	AL 36	■	MB 56	6.26	20 x 8 x 2 1/8	■
K 60	3.10	EA. Ford	36	LEATHERETTE ROLLS (NO TOOLS)				MB 60	11.91	21 7/8 x 9 1/4 x 5	■
K 61	1.82	EA. Chevrolet	36	LR 5	.48	5 3/4 x 4" - 1 Pocket	■	MB 60-Z	10.75	20 x 8 5/8 x 7 1/4	■
K 62	2.68	EA. Go-No-Go	36	LR 8	.61	4 x 4 1/4 - 4 Pocket	■	●MB 60-1	3.32	Tray	■
K 63	1.34	EA. Master Ignition	36	LR 12	1.01	6 1/2 x 8 - 3 Pocket	■	MB 64	9.55	21 1/2 x 9 1/2 x 4 1/2	■
K 64	2.35	EA. Universal	36	LR 24	.69	5 1/2 x 5 - 5 Pocket	■	MB 68	15.95	21 1/2 x 9 1/2 x 4 1/2	■
HOLDING TOOL (SCREWS)				LR 28	.87	5 x 9 - 9 Pocket	■	●MB 68-1	2.43	Separator	■
KF	1.15	EA. 12" Holding Tool	28	LR 36	1.19	5 3/4 x 10 3/16 - 11 Pocket	■	●MB 68-2	2.43	Separator	■
FEELER GAUGE BLADES 12" EXTRA LONG				LR 56	1.59	11 3/8 x 13 - 6 Pocket	■	MB 76	54.00	23 x 11 x 10 1/4	64
KL 0015	.40	EA .0015	36	LR 70	.97	7 1/4 x 9 1/2 - 5 Pocket	■	●MB 76-5	2.43	Lock & Key	■
KL 002	.40	EA .002	36	LR 72	1.01	7 1/4 x 12 - 5 Pocket	■	MB 82	79.10	26 x 12 x 14 1/2	64
KL 003	.40	EA .003	36	LR 80	1.50	10 1/8 x 13 - 7 Pocket	■	●MB 82-1	2.54	Lock & Key	■
KL 004	.40	EA .004	36	LR 84	1.71	12 x 12 - 8 Pocket	■	MASTER TOOL SETS			
KL 005	.40	EA .005	36	LR 96	1.93	9 1/2 x 17 1/2 - 13 Pocket	■	MB 100	151.34	56 Pc. Set	61
KL 006	.40	EA .006	36	LR 97	3.57	12 1/4 x 16 1/4 - 5 Pocket	■	MB 101	322.48	155 Pc. Set	60
KL 007	.40	EA .007	36	LR 102	2.45	11 Pocket	■	MB 102	392.28	170 Pc. Set	62
KL 008	.40	EA .008	36	LR 103	4.62	14 Pocket	■	METRIC WRENCHES			
KL 009	.40	EA .009	36	LR 104	.64	4 Pocket	■	MBS 911	2.05	9-11 MM Box	18
KL 010	.40	EA .010	36	SOCKETS — 3/8 INCH DRIVE 12 POINT — DEEP				MBS 1012	2.05	10-12 MM Box	18
KL 011	.40	EA .011	36	LT 12	See New No.	TL 12	■	MBS 1314	2.35	13-14 MM Box	18
KL 012	.40	EA .012	36	LT 14	See New No.	TL 14	■	MBS 1517	2.65	15-17 MM Box	18
KL 013	.40	EA .013	36	LT 16	See New No.	TL 16	■	ME 68	1.26	6-8 MM O. End	18
KL 014	.40	EA .014	36	LT 18	See New No.	TL 18	■	ME 79	1.43	7-9 MM O. End	18
KL 015	.40	EA .015	36	LT 20	See New No.	TL 20	■	ME 1012	1.59	10-12 MM O. End	18
KL 016	.40	EA .016	36	LT 22	See New No.	TL 22	■	ME 1113	1.64	11-13 MM O. End	18
KL 017	.40	EA .017	36	LT 24	See New No.	TL 24	■	ME 1416	1.94	14-16 MM O. End	18
KL 018	.40	EA .018	36	LT 26	See New No.	TL 26	■				
KL 019	.40	EA .019	36	LT 28	See New No.	TL 28	■				
KL 020	.40	EA .020	36								

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
ME 1517	2.14	15-17 MM O. End	18	N 68R	20.03	8 Pc. Comb.	23	P 338	6.56	Yoke-Valiant & Lancer	39
ME 1819	2.52	18-19 MM O. End	18	N 93R	17.16	5 Pc. Box Wrench	24	P 339	1.80	Adapter	39
ME 2022	3.12	20-22 MM O. End	18	N 102R	32.92	11 Pc. Comb.	23	P 341	21.50	Univ. Joint	39
ME 2123	3.72	21-23 MM O. End	■	N 103R	54.40	14 Pc. Comb.	23	P 343	4.30	Rambler St. Wheel	39
ME 2425	4.68	24-25 MM O. End	■	N 104R	9.65	5 Pc. Box Wrench	24	IMPACT SOCKETS 3/8 INCH DR. REGULAR			
MEB 7	1.59	7 MM Comb.	18	PULLERS				P 2212	.76	$\frac{3}{8}$	17
MEB 8	1.81	8 MM Comb.	18	P 011	22.00	Conv. 3 Jaw	37	P 2214	.76	$\frac{7}{16}$	17
MEB 9	1.87	9 MM Comb.	18	P 011L	25.00	Conv. 3 Jaw-Long	37	P 2216	.76	$\frac{1}{2}$	17
MEB 10	1.99	10 MM Comb.	18	●P 011 1	5.79	Hub Only	■	P 2218	.76	$\frac{9}{16}$	17
MEB 11	2.20	11 MM Comb.	18	●P 011 2	5.79	Screw	■	P 2220	.87	$\frac{5}{8}$	17
MEB 12	2.38	12 MM Comb.	18	●P 011 3	.46	Link	■	P 2222	.98	$\frac{11}{16}$	17
MEB 13	2.38	13 MM Comb.	18	●P 011 4	.46	Pin	■	P 2224	1.05	$\frac{3}{4}$	17
MEB 14	2.60	14 MM Comb.	18	●P 011 5	2.60	Arm (1)	■	IMPACT SOCKETS 1/2 INCH DR. REGULAR			
MEB 15	2.60	15 MM Comb.	18	●P 011 6	.46	Shear Pin	■	P 3212	.93	$\frac{3}{8}$	17
MEB 16	2.79	16 MM Comb.	18	●P 011L 5	4.31	Arm (1)	■	P 3214	.93	$\frac{7}{16}$	17
MEB 17	3.12	17 MM Comb.	18	●Y 1020	.05	Cotter Pin	■	P 3216	.93	$\frac{1}{2}$	17
MEB 18	3.12	18 MM Comb.	18	P 012	31.00	Conv. 3 Jaw	37	P 3218	.93	$\frac{9}{16}$	17
MEB 19	3.34	19 MM Comb.	18	P 012L	32.25	Conv. H.D. 3 Jaw	37	P 3220	.97	$\frac{5}{8}$	17
MEB 20	3.34	20 MM Comb.	18	●P 012 1	8.47	Hub Only	■	P 3222	1.02	$\frac{11}{16}$	17
3/8" DRIVE METRIC SOCKETS 12 POINT				●P 012 2	8.47	Screw	■	P 3224	1.02	$\frac{3}{4}$	17
MT 7	.99	7 MM	18	●P 012 3	.77	Link	■	P 3226	1.25	$\frac{13}{16}$	17
MT 8	.99	8 MM	18	●P 012 4	.70	Pin	■	P 3228	1.32	$\frac{7}{8}$	17
MT 9	.99	9 MM	18	●P 012 5	5.24	Arm (1)	■	P 3230	1.48	$\frac{15}{16}$	17
MT 10	.99	10 MM	18	●P 012 6	.70	Shear Pin	■	P 3232	1.52	1	17
MT 11	.99	11 MM	18	●P 012L 5	6.91	Arm (1)	■	P 3234	1.92	$\frac{11}{16}$	17
MT 12	.99	12 MM	18	●Y 1021	.05	Cotter Pin	■	P 3236	1.92	$\frac{11}{16}$	17
MT 13	.99	13 MM	18	P 305	10.60	2 Arm Gear	37	P 3238	2.04	$\frac{13}{16}$	17
MT 14	.99	14 MM	18	●P 305 1	5.98	Outer Arm (1)	■	P 3240	2.12	$\frac{1}{4}$	17
MT 15	.99	15 MM	18	●P 305 2	5.54	Inner	■	IMPACT SOCKETS 1/2 INCH DR. DEEP			
MT 16	.99	16 MM	18	●P 305 3	2.31	Screw	■	P 3212L	1.80	$\frac{3}{8}$	17
MT 17	1.10	17 MM	18	●P 305 5	2.77	Pivot	■	P 3214L	1.92	$\frac{7}{16}$	17
MT 18	1.10	18 MM	18	P 309	11.00	Timing Gear	37	P 3216L	1.92	$\frac{1}{2}$	17
MT 19	1.10	19 MM	18	●P 309 1	6.00	Center Block	■	P 3218L	1.92	$\frac{9}{16}$	17
3/8" DRIVE METRIC CROWFOOT ATTACHMENT				●P 309 2	4.20	Forcing Screw	■	P 3220L	1.92	$\frac{5}{8}$	17
MTC 14	2.25	14 MM O. End	7	●P 309 3	.40	Cap Screw	■	P 3222L	1.92	$\frac{11}{16}$	17
TOOL SETS				P 311	7.00	Steering Wheel	37	P 3224L	1.95	$\frac{3}{4}$	17
N 6R	1.99	15 Pc. Hex Key	25	P 317	4.65	Link Separator	38	P 3226L	2.08	$\frac{13}{16}$	17
N 7R	1.81	8 Pc. Hex Key	25	P 319	5.25	Pitman Arm Separator	38	P 3228L	2.25	$\frac{7}{8}$	17
N 8	21.26	9 Pc. Camber-Caster	42	P 325	25.50	Univ. Wheel Puller	38	P 3230L	2.52	$\frac{15}{16}$	17
N 11R	16.14	11 Pc. Elec.-Ignition	21	●P 325 1	5.00	Hub Assembly	■	P 3232L	2.58	1	17
N 20R	7.42	5 Pc. Miniature	21	●P 325 2	7.80	Screw	■	HAMMERS & HANDLES All Handles Not Guaranteed			
N 24R	12.20	9 Pc. Ignition	21	●P 325 3	3.50	Leg	■	PH 2	3.30	4 oz. Ball Pein	35
N 45R	13.10	6 Pc. O. End 15°	21	●P 325 4	2.20	Handle	■	PH 2HN	.92	Handle	35
N 46R	14.63	6 Pc. O. End 15°	21	§ P 326	7.74	Adapter	■	PH 5	3.50	8 oz. Ball Pein	35
N 64R	17.64	7 Pc. Comb. 12 Pt.	23	P 329	5.75	Pitman Arm Puller	38	PH 5HN	.92	Handle	35
N 65R	17.37	7 Pc. Comb. 6 Pt.	23	P 331	7.60	Harmonic Balancer	38	PH 6	3.80	12 oz. Ball Pein	35
				P 333	7.40	Bearing Splitter	39	PH 6HN	.92	Handle	35
				P 335	4.60	Batt. & Gen. Bearing	39	PH 7	4.05	16 oz. Ball Pein	35
				P 337	15.80	Flange Type Axle	39	PH 7HN	.92	Handle	35
								PH 9	4.20	24 oz. Ball Pein	35

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
PH 9HN	.92	Handle	35	PW 10	5.60	10 Heavy Duty	26	R 46	3.94	17/16	14
PH 10	4.60	32 oz. Ball Pein	35	●PW 10 1	5.37	Handle	■	R 48	4.12	1 1/2	14
PH 10HN	.92	Handle	35	●PW 10 2	2.35	Hook Jaw	■	R 50	4.56	1 9/16	14
PH 15	4.15	8 oz. Soft Face	35	●PW 10 3	1.19	Heel Jaw & Pin	■	R 52	5.00	1 5/8	14
PH 15HN	.92	Handle	■	●PW 10 4	.09	Pin	■	R 54	5.20	1 11/16	14
PH 15TP	.56	Tip 1 1/4 Dia.	35	●PW 10 5	.09	Coil Spring	■	R 56	5.45	1 3/4	14
PH 17	2.68	1 1/2 oz. Soft Face	35	●PW 10 6	.44	Flat Spring	■	R 58	5.55	1 13/16	14
PH 17HN	.78	Handle	■	●PW 10 7	.44	Nut	■	R 60	6.14	1 7/8	14
PH 17TP	.33	Tip 5/8 Dia.	35	PW 12	6.20	12 Heavy Duty	26	R 64	6.86	2	14
PH 18	3.20	4 oz. Soft Face	35	●PW 12 1	6.12	Handle	■	R 66	8.00	2 1/16	14
PH 18HN	.78	Handle	■	●PW 12 2	2.68	Hook Jaw	■	R 68	8.25	2 1/8	14
PH 18TP	.40	Tip 7/8 Dia.	35	●PW 12 3	1.41	Heel Jaw & Pin	■	R 70	8.68	2 3/16	14
PH 19	6.96	48 oz. Tire & Rim	35	●PW 12 4	.09	Pin	■	R 72	10.44	2 1/4	14
PH 19HN	.92	Handle	■	●PW 12 5	.09	Coil Spring	■	ATTACHMENTS 3/4 SQ. DRIVE			
PH 20	4.70	16 oz. Soft Face	35	●PW 12 6	.53	Flat Spring	■	R 604	4.00	4 Extension	15
PH 20HN	.92	Handle	■	●PW 12 7	.53	Nut	■	R 609	4.90	8 7/16 Extension	15
PH 20TP	.63	Tip 1 3/8 Dia.	35	PW 14	7.50	14 Heavy Duty	26	R 617	6.86	17" Extension	15
PH 21	11.60	32 oz. Soft Face	35	●PW 14 1	7.39	Handle	■	R 701	20.10	20" Rev. Ratchet	15
PH 21HN	.94	Handle	■	●PW 14 2	3.21	Hook Jaw	■	●R 701 6	.24	Snap Ring	15
PH 21TP	.97	Tip 1 9/16 Dia.	35	●PW 14 3	1.41	Heel Jaw & Pin	■	●R 701 9	9.83	Replacement Hd.	15
PH 22	5.28	H. D. Bumping	41	●PW 14 4	.09	Pin	■	R 720	10.45	22 Hinge Handle	■
PH 22HN	.92	Handle	■	●PW 14 5	.09	Coil Spring	■	R 720A	12.00	Hinge Handle	
PH 23	5.66	Dinging	41	●PW 14 6	.66	Flat Spring	■			Assembly	15
PH 23HN	.92	Handle	■	●PW 14 7	.66	Nut	■	R 721	7.44	Hinge Head	15
PH 24	6.20	Gen. Purpose	41	PW 18	10.60	18 Heavy Duty	26	R 730A	7.75	"T" Handle Assy.	15
PH 24HN	.92	Handle	■	●PW 18 1	10.60	Handle	■	R 731	3.40	Sliding "T" Head	15
PH 25	6.25	Dinging	41	●PW 18 2	4.62	Hook Jaw	■	R 760	11.20	Universal Joint	15
PH 25HN	.92	Handle	■	●PW 18 3	1.61	Heel Jaw & Pin	■	R 776	4.60	Handle	15
PH 26	5.12	Utility Pick	41	●PW 18 4	.09	Pin	■	RATCHETING BOX WRENCHES			
PH 26HN	.92	Handle	■	●PW 18 5	.09	Coil Spring	■	RB 810	2.55	1/4 & 5/16-6 PT.	25
PH 27	5.36	Magnetic Trimmers	41	●PW 18 6	.86	Flat Spring	■	RB 1214	2.95	3/8 & 7/16-6 PT.	25
PH 27HN	.92	Handle	■	●PW 18 7	.86	Nut	■	RB 1618	3.95	1/2 & 9/16-6 PT.	25
PH 30	5.72	Rubber Mallet	35	PW 24	16.80	24 Heavy Duty	26	RB 2022	4.45	5/8 & 1 1/16-12 PT.	25
PH 30HN	1.05	Handle	■	●PW 24 1	15.20	Handle	■	RB 2024	4.45	5/8 & 3/4-12 PT.	25
PH 31	5.40	Gen. Purpose Pick	41	●PW 24 2	7.50	Hook Jaw	■	RB 2226	4.95	1 1/16 & 1 3/16-12 PT.	25
PH 31HN	.92	Handle	■	●PW 24 3	1.83	Heel Jaw & Pin	■	RB 2428	4.95	3/4 & 7/8-12 PT.	25
PH 35	5.10	Curved Claw	35	●PW 24 4	.09	Pin	■	RING COMPRESSORS			
PH 35HN	.92	Handle	■	●PW 24 5	.09	Coil Spring	■	RC 41	1.61	1 1/2-3 Single Bd.	46
PH 36	5.10	Straight Claw	35	●PW 24 6	1.08	Flat Spring	■	RC 43	2.28	2 1/8 x 5	■
PH 36HN	.92	Handle	■	●PW 24 7	1.19	Nut	■	RC 43A	3.00	2 1/8-5 Ratchet	
PIPE WRENCHES				PW 36	35.00	36 Heavy Duty	26			Type	46
PW 6	3.60	6 Heavy Duty	26	●PW 36 1	32.14	Handle	■	RC 44	2.64	3 1/2 x 7	■
●PW 6 1	3.76	Handle	■	●PW 36 2	12.23	Hook Jaw	■	RC 44A	3.71	3 1/2-7 Ratchet	
●PW 6 2	1.41	Hook Jaw	■	●PW 36 3	2.46	Heel Jaw & Pin	■			Type	46
●PW 6 3	.86	Heel Jaw & Pin	■	●PW 36 4	.11	Pin	■	RC 45A	8.68	3 1/2-7 Ratchet	
●PW 6 4	.09	Pin	■	●PW 36 5	.09	Coil Spring	■			Type	46
●PW 6 5	.09	Coil Spring	■	●PW 36 6	1.28	Flat Spring	■	RC 46	3.00	Piston Ring	
●PW 6 6	.26	Flat Spring	■	●PW 36 7	2.35	Nut	■			Cleaner	46
●PW 6 7	.33	Nut	■	SOCKETS 3/4 INCH SQ. DRIVE REGULAR				RC 47	3.00	Piston Ring	
PW 8	4.20	8 Heavy Duty	26	R 28	2.56	7/8	14			Cleaner	46
●PW 8 1	4.18	Handle	■	R 30	2.56	1 5/16	14	●RC 46B	.96	Blade	■
●PW 8 2	1.52	Hook Jaw	■	R 32	2.56	1	14	●RC 47B	.96	Blade	■
●PW 8 3	.97	Heel Jaw & Pin	■	R 34	2.56	1 1/16	14	VALVE LIFTERS			
●PW 8 4	.09	Pin	■	R 36	2.60	1 1/8	14	RC 100	11.50	"C" Clamp	47
●PW 8 5	.09	Coil Spring	■	R 38	2.70	1 3/16	14	●RC 100 1	2.50	Threaded Post	■
●PW 8 6	.44	Flat Spring	■	R 40	3.02	1 1/4	14	RC 110	14.90	"C" Clamp	47
●PW 8 7	.33	Nut	■	R 42	3.40	1 5/16	14	●RC 110 1	2.50	Threaded Post	■
				R 44	3.68	1 3/8	14				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
RC 111	1.25	Jaws for RC 100 & RC110	47	RC 171	4.75	Felt Wiper & Stones Medium	46	●RF 46C	1.08	Yoke Only	■
RC 112	1.25	Jaws for RC 110 Only	47	RC 172	4.75	Felt Wiper & Stones Fine	46	●RF 46D	.58	Yoke Screw	■
RC 113	1.25	Jaws for RC 100 & RC 110	47	CROWFOOT				●RF 46E	.15	Handle	■
RC 120	4.20	Screw Type	48	RC 175	2.20	Vac. Control Valve-Ford	■	●RF 46F	.44	Swivel	■
RC 130	51.75	Air Powered	48	RC 177	2.45	Vac. Control Valve-Chev.	■	●RF 46G	.06	Swivel Pin	■
●RC 130 1	22.45	Air Cyl. Comp. Less Push Rod	■	ZERK CLEANERS				●RF 46H	.06	Steel Ball	■
●RC 130-1-1	11.00	Cylinder Only	■	RC 176	4.95	Zerk-O-Matic		●RF 46I	.32	Eye Bolt	■
●RC 130-1-2	.35	Flat Nut	■	REFRIGERATION TOOLS				●RF 46J	.10	Eye Bolt Pin	■
●RC 130-1-3	.25	Washer A	■	RF 2	1.00	3/16 Valve Stem Socket	51	●RF 46K	.22	Wing Nut	■
●RC 130-1-4	.75	Rubber Washer	■	RF 3	1.00	1/4 Valve Stem Socket	51	RF 47	5.60	Pinch Off Tool	53
●RC 130-1-5	.25	Piston A	■	RF 4	1.00	5/16 Valve Stem Socket	51	RF 49	1.00	1/4 x 1/4 Adapter	52
●RC 130-1-6	.25	Washer B	■	RF 5	1.00	7/32 Valve Stem Socket	51	RF 54	2.64	3/4 x 1 Flare Nut	25
●RC 130-1-7	.35	Spring	■	RF 6	1.42	3/8 & 5/8 Socket	51	RF 54A	2.64	3/4 x 7/8 Flare Nut	25
●RC 130-1-8	3.00	Push Rod Sleeve	■	RF 7	1.26	3/8 Valve Stem Socket	51	RF 55	3.34	7/8 x 1 1/8 Flare Nut	25
●RC 130-1-9	2.50	Piston End B (Tapered End)	■	RF 10	1.00	3/16 Valve Stem Socket	51	RF 55A	3.34	7/8 x 1 Flare Nut	25
●RC 130-1-10	.20	Screw Ea. (4 Req'd.)	■	RF 11	1.00	7/32 Valve Stem Socket	51	RF 59	4.76	Tube Cutter	44
●RC 130-2	2.50	Push Rod/w Pin	■	RF 12	1.00	1/4 Valve Stem Socket	51	●RF 59A	.65	Reamer Blade	■
●RC 130-3A	1.50	Valve (Next Cyl. Exh.)	■	RF 13	1.25	5/16 Valve Stem Socket	51	●RF 59B	.78	Cutter Wheel	■
●RC 130-3B	1.50	Valve (Next Frame Int'l.k.)	■	RF 14	1.25	3/8 Valve Stem Socket	51	●RF 59C	1.30	Body	■
●RC 130-4	6.25	Frame	■	RF 16	1.42	21/64 x 15/32 Socket	51	●RF 59D	.85	Holder	■
●RC 130-4-1	.20	Bolt Ea. (2 Req'd.)	■	RF 17	1.42	21/64 x 15/32 "T" Handle	51	●RF 59E	.16	Roller	■
●RC 130-3-1	.50	Valve Cage For RC 130 3A & 3B	■	RF 18	1.42	21/64 x 9/16 "T" Handle	51	●RF 59F	.19	Spring	■
●RC 130-3-2	.40	Valve Stem (For RC 130 3A & 3B)	■	RF 21	4.00	Non-Rev. Ratchet 3/16	51	●RF 59G	.64	Handle Assy.	■
●RC 130-3-3	.20	Push Button (For RC 130 3A & 3B)	■	RF 22	3.78	Non-Rev. Ratchet 1/4	53	●RF 59H	.08	Wheel Pin	■
●RC 130-3-4	.25	Washer for Valve Seat (For RC 130 3A & 3B)	■	RF 23	4.40	Non-Rev. Ratchet 5/16	53	●RF 59I	.08	Roller Pin	■
●RC 130-3-5	.20	O Ring Seal (For 3B Only)	■	RF 25	4.40	Non-Rev. Ratchet 3/8	53	●RF 59J	.08	Holder Pin	■
●RC 130-3-6	.20	Valve Spring (For RC 130 3A & 3B)	■	RF 26	4.40	Non-Rev. Ratchet 5/16	53	●RF 59K	.08	Screw-Washer	■
RC 140	3.25	Split Type	48	RF 41	1.20	Plug Adapter 1/4 & 3/8	52	RF 60	.45	Tube Bender	45
BRAKE CYLINDER HONE				RF 45A	5.00	1/4 Rev. Ratchet	53	RF 61	.45	Tube Bender	45
RC 150	8.60	Hone	43	All RF Ratchets must be returned to factory for repair				RF 62	.45	Tube Bender	45
RC 151	1.80	Replac. Stones 280 Grit	43	RF 46	5.50	Flaring Tool	53	RF 63	.45	Tube Bender	45
RC 152	1.80	Replac. Stones 400 Grit	43	●RF 46A	3.04	Bar Assembly	■	RF 64	.60	Tube Bender	45
GLAZE BREAKERS				●RF 46B	2.58	Yoke Assembly	■	RF 65	.60	Tube Bender	45
RC 160	12.00	Adjustable	46	DOUBLE FLARING TOOL SET				RF 66	3.00	Tube Bender Set	45
RC 161	4.25	Replac. Stones & Pad-Fine	46	RF 100B	12.00	Set	43	RF 67	1.68	1/2 & 3/8 Gland Nut Socket	51
RC 162	4.25	Replac. Stones & Pad-Medium	46	●RF 100B 1	1.00	3/16 Adapter	■	RF 71	1.35	5/16 & 7/16 Gland Nut Socket	51
RC 163	4.25	Replac. Stones & Pad-Coarse	46	●RF 100B 2	1.00	1/4 Adapter	■	RF 72	1.35	21/64 & 15/32 Gland Nut Socket	51
RC 170	13.00	Pre-set	46	●RF 100B 3	1.00	5/16 Adapter	■	RF 73	1.35	3/8 & 5/8 Gland Nut Socket	51
				●RF 100B 4	1.25	3/8 Adapter	■	RF 80B	26.96	Basic. Ref. Set	55
				●RF 100B 5	1.40	1/2 Adapter	■	RF 81B	40.69	Master Ref. Set	55
				●RF 100B 6	3.75	Bar Assembly	■				
				●RF 100B 7	2.75	Yoke Assembly	■				
				●RF 100B 8	1.20	Yoke Only	■				
				●RF 100B 9	.35	Yoke Screw	■				
				●RF 100B 10	.70	Swivel, Spring & Ball	■				
				●RF 100B 11	.20	Handle	■				
				●RF 100B 12	.35	Eyebolt, Fixed	■				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
●RF 100B 13	.35	Eyebolt, Swivel	■	SS 27	2.00	5 Slot Head Alum.	28	T 612	2.68	12 Extension	8
●RF 100B 14	.08	Eyebolt, Pin	■	SS 29	2.10	9 Slot Head Alum.	28	T 617	3.15	17 Extension	8
●RF 100B 15	.30	Wing Nut	■	SS 31	3.20	15 Slot Head Alum.	28	T 705	8.66	Flex Hndle. Ratchet	■
●RF 100B 16	.06	Washer	■	SSN 6	2.30	6 Slot Head Nylon	28	T 705R	2.10	Repair Kit	■
●RF 100B 17	1.85	Metal Box	■	SSN 9	2.45	9 Slot Head Nylon	28	T 707	5.89	3/8 In. Dr. Ratchet	■
IMPACT SOCKETS — SPARE PARTS				SOCKETS 3/8 INCH DRIVE 12 POINT REGULAR				T 708	6.18	Palm Ratchet	■
RIB 28	.40	O Ring	17	T 10	.99	5/16	6	●T 708R	1.90	Repair Kit	■
RIB 32	.40	O Ring	17	T 12	.99	3/8	6	T 720	4.10	75/8 Hinge Handle	8
SOCKETS 3/4 INCH DRIVE 6 POINT DEEP				T 14	.99	7/16	6	T 730	2.79	8" Sliding "T" Handle	8
RLH 32	3.50	1 Opening	14	T 16	.99	1/2	6	T 742	3.06	17" Speeder Handle	8
RLH 34	3.75	1 1/16 Opening	14	T 18	.99	9/16	6	T 748	4.16	24" Speeder Handle	8
RLH 36	4.25	1 1/8 Opening	14	T 19	.89	19/32	■	T 749	4.92	36" Speeder Handle	8
RLH 40	4.70	1 1/4 Opening	14	T 20	1.04	5/8	6	T 750	1.50	1" & 1 1/16 Socket	■
FLAT BEAM TORQUE WRENCHES 3/4 INCH DRIVE				T 22	1.10	11/16	6	T 760	3.14	17/8 Universal Joint	8
RP-RS	Series See Page 17			T 24	1.10	3/4	6	T 775	.65	6" Cross Bar	8
SCREW EXTRACTORS				T 25	1.05	25/32	■	T 780	2.50	5 1/8 Spinner Handle	8
SE 1	.53	3/16 to 1/4	45	T 26	1.15	13/16	6	T 785	1.10	Old No. T27 Drag Link Socket	7
SE 2	.53	1/4 to 5/16	45	T 27	See New No. T 785			TT 707	6.50	Reversible Ratchet	8
SE 3	.53	5/16 to 7/16	45	T 28	1.24	7/8 (Old No. T128)	6	●TT 707R	1.90	Repair Kit	8
SE 4	.53	7/16 to 9/16	45	T 30	1.32	15/16	6	TB 3R	7.71	9 Pc. Phillips & Cl. Head Set	9
SE 5	.82	9/16 to 3/4	45	T 32	1.32	1	6	TB 5B	15.69	Screw Bit Set (8 Pc.)	■
SE 6	1.50	3/4 to 1"	45	T 34	2.14	Sc. Driver	7	CROWFOOT WRENCHES OPEN END			
SER	4.66	6 Pc. Set	45	TOOL SETS 3/8 INCH DRIVE				TC 12	1.52	3/8	7
SCREW DRIVERS				T 50B	20.26	12 Pc. Set	9	TC 14	1.52	7/16	7
SO 1	1.00	1/4 Shank-Stubby	27	T 51B	20.33	12 Pc. Set	9	TC 16	1.58	1/2	7
SO 2	.90	7/32 Shank-Stubby	27	T 52B	14.41	11 Pc. Set	9	TC 18	1.77	9/16	7
SO 4	1.64	7/32 Shank-4	27	T 53B	15.99	10 Pc. Set	9	TC 20	1.77	5/8	7
SO 6	2.16	5/16 Shank-6	27	T 54B	31.22	17 Pc. Set	9	TC 22	1.87	11/16	7
SO 8	2.73	3/8 Shank-8	27	T 55B	34.88	22 Pc. Set	9	TC 24	2.00	3/4	7
SO 12	3.54	3/8 Shank-12	27	T 56B	21.60	8 Pc. Set	9	TC 26	2.14	13/16	7
SCREW DRIVERS				TD 14B	40.16	20 Pc. Set	9	TC 28	2.14	7/8	7
SP 1	1.00	#1 Phillips Bit Short	28	TB 3R	7.71	9 Pc. Phillips & Cl. Hd. Set	9	CLUTCH HEAD SCREW DRIVER			
SP 2	1.20	#2 Phillips Bit Short	28	TWB	12.73	9 Pc. Hex Key Set	9	TCL 3	2.15	5/32	7
IMPACT SOCKETS — SPARE PARTS				SOCKETS 3/8 DRIVE 6 POINT				TCL 3BT	1.05	Bit Only	■
SP 22	.12	Pin	17	T 120	See New No. TLH 12			TCL 5	2.18	1/4	7
SP 27	.12	Pin	17	T 128	See New No. T 28			TCL 5BT	1.05	Bit Only	■
SPRING TESTER				T 140	See New No. TLH 14			TCL 7	2.18	5/16	7
SPT	37.60	No. 400	■	T 160	See New No. TLH 16			TCL 7BT	1.05	Bit Only	■
SCREW STARTERS				T 180	See New No. TLH 18			TOOL SET 3/8 INCH DRIVE			
SS 3	2.00	3 1/4 Mag. Phillips	28	T 200	See New No. TLH 20			TD 2B	14.52	8 Pc. Tool Set	■
SS 6	2.30	6 1/4 Mag. Phillips	28	T 220	See New No. TLH 22			TD 14B	40.16	20 Pc. Tool Set	9
SS 25	1.80	2 1/2 Slot Head Alum.	28	T 240	See New No. TLH 24						
				T 260	See New No. TLH 26						
				T 280	See New No. TLH 28						
				ATTACHMENTS 3/8 INCH DRIVE							
				T 601	1.22	1 Extension	8				
				T 603	1.62	3 Extension	8				
				T 606	2.04	6 Extension	8				
				T 608	2.50	8 Extension	8				

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
DOUBLE ROUND TORQUE WRENCHES 3/8 INCH DRIVE				SCREW DRIVERS — PHILLIPS				SOCKETS 3/8 INCH DRIVE 12 POINT FLEXIBLE			
TDR	Series See Page 17			TP 1	1.85	#1 Bit Size	7	TU 12	3.05	3/8	6
CROWFOOT WRENCHES 3/8 INCH DRIVE — BOX				TP 1BT	.90	Bit Only	■	TU 14	3.05	7/16	6
TF 20	2.75	5/8	7	TP 2	1.94	#2 Bit Size	7	TU 16	3.05	1/2	6
TF 22	3.00	11/16	7	TP 2BT	.90	Bit Only	■	TU 18	3.05	9/16	6
TF 24	3.10	3/4	7	TP 3	2.15	#3 Bit Size	7	TU 20	3.05	5/8	6
TF 26	3.25	13/16	7	TP 3BT	.90	Bit Only	■	TU 22	3.60	11/16	6
TF 28	3.40	7/8	7	TP 4	2.20	#4 Bit Size	7	TU 24	3.60	3/4	6
TF 30	3.80	15/16	7	TP 4BT	.90	Bit Only	■	SOCKETS 3/8 INCH DRIVE 6 POINT FLEXIBLE			
TF 32	3.80	1	7	TPC	1.19	Socket Only	7	TU 120	2.79	3/8	■
TF 34	4.00	1 1/16	7	FLAT BEAM TORQUE WRENCHES 3/8 INCH DRIVE				TU 140	2.79	7/16	■
SOCKETS 3/8 INCH DRIVE 6 POINT REGULAR				TP	Series See Page 17			TU 160	2.79	1/2	■
TH 8	.99	1/4	6	THREAD RESTORERS — SETS				TU 180	2.79	9/16	■
TH 10	.99	5/16	6	TR 1	3.50	For 11-24 Threads to Inch	45	TU 200	2.79	5/8	■
TH 12	.99	3/8	6	TR 2	3.50	For 9-32 Threads to Inch	45	SCREW DRIVERS — HEX HEAD			
TH 14	.99	7/16	6	TR 7	4.60	Restorer Set SAE	45	TW 4	1.59	1/8 Bit Size	7
TH 16	.99	1/2	6	TR 7-1	.52	1/4-28 NF Die	45	TW 4BT	.42	Bit Only	■
TH 18	1.04	9/16	6	TR 7-2	.55	5/16-24 NF Die	45	TW 5	1.59	5/32 Bit Size	7
TH 20	1.04	5/8	6	TR 7-3	.57	3/8-24 NF Die	45	TW 5BT	.42	Bit Only	■
TH 22	1.10	11/16	6	TR 7-4	.61	7/16-20 NF Die	45	TW 6	1.59	3/16 Bit Size	7
TH 24	1.10	3/4	6	TR 7-5	.64	1/2-20 NF Die	45	TW 6BT	.42	Bit Only	■
TH 26	1.15	13/16	6	TR 7-6	.68	9/16-18 NF Die	45	TW 7	1.59	7/32 Bit Size	7
TH 28	1.20	7/8	6	TR 7-7	.72	5/8-18 NF Die	45	TW 7BT	.42	Bit Only	■
TH 30	1.32	15/16	6	TR 7-8	.85	3/4-16 NF Die	45	TW 8	1.59	1/4 Bit Size	7
TH 32	1.40	1	6	TR 8	4.60	Restorer Set USS	45	TW 8BT	.42	Bit Only	■
SOCKETS 3/8 INCH DRIVE DEEP 12 POINT				TR 8-1	.52	1/4-20 NC Die	45	TW 10	1.71	5/16 Bit Size	7
		Old No.		TR 8-2	.55	5/16-18 NC Die	45	TW 10BT	.42	Bit Only	■
TL 12	1.15	3/8	6	TR 8-3	.57	3/8-16 NC Die	45	TW 12	1.71	3/8 Bit Size	7
TL 14	1.15	7/16	6	TR 8-4	.61	7/16-14 NC Die	45	TW 12BT	.42	Bit Only	■
TL 16	1.15	1/2	6	TR 8-5	.64	1/2-13 NC Die	45	TWB	12.73	9 Pc. Hex Key Set	9
TL 18	1.20	9/16	6	TR 8-6	.68	9/16-12 NC Die	45	SOCKETS 1/4 INCH DRIVE 12 POINT REGULAR			
TL 20	1.30	5/8	6	TR 8-7	.72	5/8-11 NC Die	45	V 6	.78	3/16	3
TL 22	1.36	11/16	6	TR 8-8	.85	3/4-10 NC Die	45	V 7	.78	7/32	3
TL 24	1.58	3/4	6	SOCKETS 3/8 INCH DRIVE 8 POINT REGULAR				V 8	.78	1/4	3
TL 26	1.68	13/16	6	TS 9	.99	9/32	■	V 9	.78	9/32	3
TL 28	1.84	7/8	6	TS 12	1.10	3/8	6	V 10	.78	5/16	3
3/8 INCH DRIVE DEEP — 6 POINT				TS 14	1.10	7/16	6	V 11	.78	11/32	3
TLH 12	1.15	3/8	6	TS 16	1.10	1/2	6	V 12	.78	3/8	3
TLH 14	1.15	7/16	6	TS 18	1.35	9/16	6	V 14	.78	7/16	3
TLH 16	1.15	1/2	6	TS 20	1.35	5/8	6	V 16	.78	1/2	3
TLH 18	1.20	9/16	6	SENSORY TORQUE WRENCHES 3/8 INCH DRIVE				V 36	1.40	Distributor Nut Socket	4
TLH 20	1.30	5/8	6	TS	Series See Page 17			1/4 INCH DRIVE TOOL SETS			
TLH 22	1.36	11/16	6	RATCHET 3/8 INCH DRIVE				V 50B	14.22	15 Pc. Tool Set	■
TLH 24	1.58	3/4	6	TT 707	6.50	Reversible Ratchet	8	V 51B	19.00	18 Pc. Tool Set	5
TLH 26	1.68	13/16	6	● TT 707 R	1.90	Repair Kit	8	V 53B	14.80	13 Pc. Tool Set	■
TLH 26R	1.84	13/16 Spark Plug Socket	6					V 54B	17.65	13 Pc. Tool Set	■
● Y1050	.25	Rubber Insert	■					V 55B	16.76	15 Pc. Tool Set	5
TLH 28	1.84	Old No. T 280 7/8 Opening 6 Pt.	6					V 56B	11.73	9 Pc. Tool Set	5
								V 57B	10.89	13 Pc. Tool Set	5
								V 58B	20.12	17 Pc. Tool Set	5
								VM 5B	26.19	24 Pc. Tool Set	■

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
ATTACHMENTS 1/4 INCH DRIVE				SOCKETS – UNIVERSAL – 1/4 DRIVE				WET 68 2.49 3/16 x 1/4 Tappet Wrench			
V 602	1.20	2 Extension	4	VU 6	2.93	3/16 - 12 Pt.	■	WET 1012	2.49	5/16 x 3/8 Tappet Wrench	■
V 606	1.42	6 Extension	4	VU 8	2.93	1/4 - 12 Pt.	■				
V 701	4.90	5" Rev. Ratchet	4	VU 10	2.93	5/16 - 12 Pt.	■				
V 720	3.02	5 3/4 Hinge Handle	4	VU 12	2.93	3/8 - 12 Pt.	■				
V 730	1.63	4" "T" Handle	4	VU 14	2.93	7/16 - 12 Pt.	■				
V 760	2.96	Universal Joint	4								
V 775	.54	Cross Bar	4	SCREW DRIVERS – STD. TIP WOOD HANDLE							
V 780	1.76	Spinner Handle	4	WO 3	1.40	1/4 Tip 7 1/2	27	WHITWORTH SOCKETS 3/8 INCH SQUARE DRIVE			
V 782	2.75	Spinner Hinge Handle	■	WO 4	1.40	1/4 Tip 9	27	WT 2	.95	4 BA	■
V 785	1.10	Sc. Driver Socket	4	WO 6	1.60	9/32 Tip 11 7/8	27	WT 4	.95	1/8	■
CROWFOOT WRENCHES 1/4 INCH DRIVE BOX TYPE 12 POINT				WO 8	2.30	3/8 Tip 14 5/16	27	WT 6	.95	3/16	■
VF 6	3.30	3/16	3	WO 10	2.50	3/8 Tip 16	27	WT 8	.95	1/4	■
VF 7	3.30	7/32	3	WO 5	8.28	5 Pc. Set	28	WT 10	.95	5/16	■
VF 8	3.30	1/4	3	SCREW DRIVERS – PHILLIPS				WT 12	1.05	3/8	■
VF 9	3.30	9/32	3	WP 1	1.00	#1 Bit 6 1/4	28	WT 14	1.05	7/16	■
VF 10	3.30	5/16	3	WP 2	1.09	#2 Bit 8 3/4	28	WT 16	1.20	1/2	■
VF 11	3.30	11/32	3	WP 3	1.35	#3 Bit 11	28				
VF 12	3.35	3/8	3	WP 4	1.80	#4 Bit 14 1/2	28	SOCKETS & ATTACHMENTS 1 INCH DRIVE – 12 POINT			
VF 14	3.41	7/16	3	WP	4.72	4 Pc. Set	■	X 31	5.70	Sliding Bar	16
VF 16	3.46	1/2	3	SETS & WHITWORTH WRENCHES				X 32	8.25	Male Drive Head	16
VF 18	3.52	9/16	3	W 100R	13.08	Set	■	X 46	5.10	17/16 Socket	16
SOCKETS 1/4 INCH DRIVE 12 POINT DEEP				W 105R	22.01	Set	■	X 48	5.80	1 1/2 Socket	16
VL 6	1.24	3/16	3	WBS 46	1.95	1/8 x 3/16 Box Wrench	■	X 52	6.20	1 5/8 Socket	16
VL 7	1.24	7/32	3	WBS 810	2.38	1/4 x 5/16 Box Wrench	■	X 58	7.72	1 13/16 Socket	16
VL 8	1.24	1/4	3	WE 46	1.58	1/8 x 3/16 Open End Wrench	■	X 60	9.00	1 7/8 Socket	16
VL 9	1.24	9/32	3	WE 810	1.84	1/4 x 5/16 Open End Wrench	■	X 64	9.82	2 Socket	16
VL 10	1.30	5/16	3	WE 1214	2.77	3/8 x 7/16 Open End Wrench	■	X 70	12.92	2 3/16 Socket	16
VL 11	1.30	11/32	3	WE 1618	4.65	1/2 x 9/16 Open End Wrench	■	X 72	13.50	2 1/4 Socket	16
VL 12	1.30	3/8	3	WE 2024	6.38	5/8 x 3/4 Open End Wrench	■	X 74	15.50	2 5/16 Socket	16
VL 14	1.36	7/16	3	WEB 4	2.01	1/8 Comb. Wrench	■	X 76	15.80	2 3/8 Socket	16
VL 16	1.36	1/2	3	WEB 6	2.22	3/16 Comb. Wrench	■	X 78	17.63	2 7/16 Socket	16
SOCKETS 1/4 INCH DRIVE 6 POINT DEEP				WEB 8	2.34	1/4 Comb. Wrench	■	X 80	20.80	2 1/2 Socket	16
VLH 6	1.27	3/16	3	WEB 10	2.55	5/16 Comb. Wrench	■	X 82	23.60	2 9/16 Socket	16
VLH 8	1.27	1/4	3	WEB 12	3.09	3/8 Comb. Wrench	■	X 84	26.00	2 5/8 Socket	16
VLH 10	1.30	5/16	3	WEB 14	4.07	7/16 Comb. Wrench	■	X 88	27.50	2 3/4 Socket	16
VLH 12	1.30	3/8	3	WEB 16	4.39	1/2 Comb. Wrench	■	X 94	34.40	2 15/16 Socket	16
VLH 14	1.36	7/16	3					X 96	38.00	3 Socket	16
VLH 16	1.36	1/2	3					X 100	42.00	3 1/8 Socket	16
VLH 18	1.30	9/16	■					X 701	37.00	Rev. Ratchet	16
SOCKETS 1/4 INCH DRIVE 8 POINT REGULAR								R 701 6	.35	Snap Ring	■
VS 8	.88	1/4	3					X 701 9	13.86	Replacement Head	■
VS 10	.88	5/16	3					X 730	13.75	"T" Handle Assembly	16
VS 12	.88	3/8	3					XH1B	99.87	9 Pc. Tool Set	16
								ROUND BEAM TORQUE WRENCHES 1/2 INCH DRIVE			
								ZA	Series See Page 17		

Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.	Part No.	Net Price	Description	Page No.
TORQUE WRENCHES 3/8" - 1/2" - 3/4" DRIVE											
TORQUE WRENCHES 1/2 INCH DRIVE				AS 1800 1	60.80	0 1800 In. Lbs.	■	TDR 200 1	23.00	0 200 In. Lbs.	26
ADR 25	23.00	Double Round	■	AS 2400 1	79.20	0 2400 In. Lbs.	■	TDR 300 1	23.00	0 300 In. Lbs.	26
ADR 300-I	23.00	Double Round	■	TORQUE WRENCHES 3/4 INCH DRIVE				TORQUE WRENCHES 3/8 INCH DRIVE			
FLAT BEAM				FLAT BEAM				FLAT BEAM			
TORQUE WRENCHES 1/2 INCH DRIVE				RP 200	69.00	Std. 0 200 Ft. Lbs.	■	TP 25	35.70	0 25 Ft. Lbs.	■
AP 25	35.70	0 25 Ft. Lbs.	■	RP 300	88.00	Std. 0 300 Ft. Lbs.	■	TP 50	37.50	0 50 Ft. Lbs.	■
AP 50	37.40	0 50 Ft. Lbs.	■	RP 2400 1	69.00	Std. 0 2400 In. Lbs.	■	TP 300 1	35.70	0 300 In. Lbs.	■
AP 100	40.00	0 100 Ft. Lbs.	■	RP 3600 1	88.00	Std. 0 3600 In. Lbs.	■	TP 600 1	37.50	0 600 In. Lbs.	■
AP 150	44.80	0 150 Ft. Lbs.	■	RS 200	79.20	Sensory 0 200 Ft. Lbs.	■	TORQUE WRENCHES 3/8 INCH DRIVE			
AP 200	69.00	0 200 Ft. Lbs.	■	RS 300	105.60	Sensory 0 300 Ft. Lbs.	■	Sensory			
AP 300 1	35.70	0 300 In. Lbs.	■	RS 2400 1	79.20	Sensory 0 2400 In. Lbs.	■	TS 25	47.20	0 25 Ft. Lbs.	■
AP 600 1	37.40	0 600 In. Lbs.	■	RS 3600 1	105.60	Sensory 0 3600 In. Lbs.	■	TS 50	49.00	0 50 Ft. Lbs.	■
AP 1200 1	40.00	0 1200 In. Lbs.	■	TORQUE WRENCHES 3/8 INCH DRIVE				TS 300 1	47.20	0 300 In. Lbs.	■
AP 1800 1	44.80	0 1800 In. Lbs.	■	Double Round				TS 600 1	49.00	0 600 In. Lbs.	■
AP 2400 1	69.00	0 2400 In. Lbs.	■	TORQUE WRENCHES 1/2 INCH DRIVE				TORQUE WRENCHES			
SENSORY				TORQUE WRENCHES 1/2 INCH DRIVE				1/2 INCH DRIVE ROUND BEAM			
AS 25	47.20	0 25 Ft. Lbs.	■	AS 25	47.20	0 25 Ft. Lbs.	■	ZA 50	15.50	0 50 Ft. Lbs.	26
AS 50	49.00	0 50 Ft. Lbs.	■	AS 50	49.00	0 50 Ft. Lbs.	■	ZA 100	16.44	0 100 Ft. Lbs.	26
AS 100	51.50	0 100 Ft. Lbs.	■	AS 100	51.50	0 100 Ft. Lbs.	■	ZA 150	20.76	0 150 Ft. Lbs.	26
AS 150	60.80	0 150 Ft. Lbs.	■	AS 150	60.80	0 150 Ft. Lbs.	■	ZA 200	22.32	0 200 Ft. Lbs.	26
AS 200	79.20	0 200 Ft. Lbs.	■	AS 200	79.20	0 200 Ft. Lbs.	■				
AS 300 1	47.20	0 300 In. Lbs.	■	AS 300 1	47.20	0 300 In. Lbs.	■				
AS 600 1	49.00	0 600 In. Lbs.	■	AS 600 1	49.00	0 600 In. Lbs.	■				
AS 1200 1	51.50	0 1200 In. Lbs.	■	AS 1200 1	51.50	0 1200 In. Lbs.	■				

BONNEY WARRANTY POLICY GOVERNING REPAIR OR REPLACEMENT OF RATCHETS

The Following Ratchets
Are Out of Warranty

No Replacement
No Repair
No Credit Will Be Issued:

Tool No.

66
4093
4097
4292
4293
A706
T706

The Following Ratchets Will Be Repaired

Chargeable
Repairs - Net

Tool No. Price

4080 \$1.50
4080L 1.50
4098 1.50
4285 2.00
A700 1.50
A704 1.50
R704 2.00
T35 1.25
T704 1.25
ZA700 1.50
ZR700 2.00
ZT700 1.25
AA707 1.50
TT707 1.35
AA707H 1.50

No/Charge
Repairs

Tool No.

R701
V701
T705
T708
RF21
RF22
RF23
RF25
RF26
RF45
RF45A

The Following Ratchets
Will Be Replaced

No Charge or Credit
Will Be Issued

Tool No.

A701
A703
A707
T701
T702
T707
ZA701
ZA707
ZT701
ZT707
ZT711
ZV701

Loc-Rite & Cam-Loc Current Items

SHIPMENTS MADE IN STANDARD PACKAGING.



**LOC-RITE DOUBLE OPEN
END WRENCH**

PART NO.	LIST PRICE	SIZE OPENINGS	O.D. HEAD	O.A. LENGTH	STD. PKG.
22323	\$ 3.20	3/8 & 7/16	27/32 & 23/32	4 11/16	6
22325	3.60	1/2 & 9/16	7/8 & 15/16	6 5/16	6
22327	4.38	5/8 & 11/16	1 3/64 & 1 5/32	7 5/16	6
81000	11.18	Above three wrenches in a plastic roll			
22331	4.92	3/4 & 7/8	1 17/64 & 1 7/16	8 5/16	6



**LOC-RITE OPEN END, BOX
COMBINATION WRENCH**

23312	\$ 2.85	3/8 & 3/8	23/32 & 5/8	6	6
23314	3.02	7/16 & 7/16	51/64 & 45/64	6 1/4	6
23316	3.22	1/2 & 1/2	59/64 & 51/64	6 11/16	6
23318	3.34	9/16 & 9/16	1 & 7/8	7 3/8	6
23320	3.84	5/8 & 5/8	1 5/8 & 1	8	6
23322	4.14	11/16 & 11/16	1 5/8 & 1 1/16	8 3/4	6
23324	4.94	3/4 & 3/4	1 17/64 & 1 11/64	9 11/16	6
23328	5.72	7/8 & 7/8	1 7/8 & 1 21/64	11 3/4	2
23330	6.60	1 5/16 & 1 5/16	1 17/32 & 1 13/32	12 3/4	2
23332	6.96	1 & 1	1 19/32 & 1 33/64	13 1/4	2
23336	7.66	1 1/8 & 1 1/8	1 49/64 & 1 43/64	14 1/2	2



**LOC-RITE OPEN END -
CROW FOOT TORQUE
WRENCH ADAPTERS**

PART NO.	LIST PRICE	SIZE OPENING	T.C. (*)	DIA. HEAD	THICK HEAD	STD. PKG.
1/4" SQUARE DRIVE						
45212	\$ 3.86	3/8	15/32	9/16	17/32	6
45214	3.92	7/16	33/64	21/32	19/32	6
45216	4.00	1/2	9/16	3/4	19/32	6
45218	4.04	9/16	19/32	13/16	19/32	6

3/8" SQUARE DRIVE						
45320	\$ 3.22	5/8	11/16	29/32	3/4	6
45322	3.48	1 1/16	47/64	1	3/4	6
45324	3.56	3/4	25/32	1 3/32	25/32	6
45326	3.74	1 3/16	53/64	1 11/64	25/32	6
45328	3.94	7/8	7/8	1 17/64	13/16	6
45330	4.38	1 5/16	29/32	1 11/32	13/16	6
45332	4.38	1	61/64	1 27/64	27/32	6
45334	4.62	1 1/16	63/64	1 1/2	27/32	6

1/2" SQUARE DRIVE						
45436	\$ 4.28	1 1/8	1 9/64	1 19/32	1 5/16	6
45438	5.26	1 3/16	1 11/64	1 21/32	1 5/16	6
45440	5.30	1 1/4	1 7/32	1 3/4	1 5/16	6
45442	5.58	1 5/16	1 1/4	1 13/16	1 5/16	6
45444	5.82	1 3/8	1 19/64	1 29/32	1	6
45446	6.02	1 7/16	1 13/32	1 31/32	1	6
45448	6.34	1 1/2	1 23/64	2 1/32	1	6
45450	6.68	1 9/16	1 13/32	2 1/8	1	6
45452	6.88	1 5/8	1 7/16	2 3/16	1	6
45454	7.20	1 11/16	1 1/2	2 9/32	1 1/16	6
45456	7.50	1 3/4	1 17/32	2 11/32	1 1/16	6
45458	7.68	1 13/16	1 1/2	2 7/16	1 1/16	6
45460	8.12	1 7/8	1 5/8	2 17/32	1 1/8	6
45462	8.46	1 15/16	1 21/32	2 19/32	1 1/8	6
45464	8.86	2	1 45/64	2 11/16	1 1/8	6



**LOC-RITE ULTRA SHORT
BOX WRENCH 45° ANGLE**

PART NO.	LIST PRICE	SIZE OPENINGS	O.D. HEAD	O.A. LENGTH	STD. PKG.
24623	\$ 2.50	3/8 & 7/16	35/64 & 5/8	4 3/4	6
24625	2.64	1/2 & 9/16	23/32 & 13/16	5 1/2	6
24629	3.22	5/8 & 3/4	57/64 & 1 1/16	6 5/32	6



**LOC-RITE DOUBLE OFF-
SET BOX WRENCH LONG
PATTERN, 45° ANGLE**

24123	\$ 3.22	3/8 & 7/16	37/64 & 21/32	7 1/2	6
24125	3.44	1/2 & 9/16	3/4 & 27/32	8 3/4	6
24127	3.50	9/16 & 5/8	27/32 & 59/64	9 1/4	6
24129	3.76	5/8 & 11/16	59/64 & 1 1/32	9 3/4	6
24131	4.22	3/4 & 13/16	1 3/32 & 1 3/16	12 1/2	6
24133	6.90	7/8 & 15/16	1 9/32 & 1 3/8	13 3/16	6



**LOC-RITE EXTRA LONG
BOX WRENCH 45° ANGLE**

24235	\$ 7.90	1 & 1 1/16	1 35/64 & 1 5/8	16	6
24237	9.50	1 1/8 & 1 1/4	1 3/4 & 1 29/32	18	6



**LOC-RITE SHORT SINGLE OFFSET
BOX WRENCH 15° ANGLE**

24023	\$ 2.64	3/8 & 7/16	37/64 & 21/32	4 1/4	6
24025	2.74	1/2 & 9/16	3/4 & 27/32	5	6
24027	3.16	5/8 & 11/16	59/64 & 1	5 3/4	6



**LOC-RITE BOX AND ORDINARY
OPEN END COMBINATION
WRENCH Long Series**

PART NO.	LIST PRICE	SIZE OPENINGS	HEAD BOX END	HEAD OPEN END	O.A. LGTH.	STD. PKG.
23112	\$ 2.76	3/8	19/32	51/64	6 5/8	6
23114	3.10	7/16	43/64	15/16	7 1/4	6
23116	3.26	1/2	3/4	1 1/16	7 25/32	6
23118	3.50	9/16	27/32	1 3/16	8 11/32	6
23120	3.80	5/8	15/16	1 5/16	9	6
23122	4.20	1 1/16	1	1 7/16	9 23/32	6
23124	4.80	3/4	1 3/32	1 9/16	10 15/32	6
23126	5.20	1 3/16	1 3/16	1 11/16	11 5/16	6
23128	5.64	7/8	1 9/32	1 13/16	12 3/16	6
23130	6.50	1 5/16	1 3/8	1 15/16	13 1/16	6
23132	7.50	1	1 15/32	2 1/16	13 15/16	6
23134	9.40	1 1/16	1 9/16	2 3/16	14 27/32	2
23136	10.00	1 1/8	1 21/32	2 5/16	15 23/32	2




**LOC-RITE BOX AND ORDINARY
OPEN END COMBINATION
WRENCH Short Series**

23012	\$ 2.48	3/8	39/64	13/16	4 11/16	6
23014	2.52	7/16	43/64	29/32	5 3/16	6
23016	2.64	1/2	3/4	1 1/32	5 11/16	6
23018	2.80	9/16	27/32	1 5/32	6 7/32	6
23020	2.98	5/8	15/16	1 9/32	6 27/32	6
23022	3.22	1 1/16	1	1 13/32	7 15/32	6
23024	3.50	3/4	1 3/32	1 17/32	8 1/8	6



**LOC-RITE MULTI-FLEX
BOX WRENCH**

PART NO.	LIST PRICE	SIZE OPENINGS	HEAD DIAMETER	O.A. LENGTH	STD. PKG.
24523	\$ 6.25	3/8 & 7/16	9/16 & 5/8	7 5/8	6
24525	7.25	1/2 & 9/16	3/4 & 13/16	8 5/8	6
24527	8.00	5/8 & 3/4	7/8 & 1 1/16	9 7/16	6




**LOC-RITE SOCKET
REGULAR LENGTH**

PART NO.	LIST PRICE	SIZE OPENINGS	O.A. LENGTH	O.D. SOC. END	STD. PKG.
3/8" SQUARE DRIVE					
33210-1	\$ 1.26	5/16	1 1/16	1 5/32	6
33212-1	1.26	3/8	1 1/16	1 7/32	6
33214-1	1.26	7/16	1 1/16	1 39/64	6
33216-1	1.26	1/2	1 1/16	1 11/16	6
33218-1	1.26	9/16	1 1/16	1 25/32	6
33220-1	1.36	5/8	1 1/16	1 7/8	6
33222-1	1.38	1 1/16	1 1/16	1 15/16	6
33224-1	1.38	3/4	1 1/16	1	6

1/2" SQUARE DRIVE					
34212-1	\$ 1.38	3/8	1 3/8	1 17/32	6
34214-1	1.38	7/16	1 3/8	1 5/8	6
34216-1	1.38	1/2	1 3/8	1 45/64	6
34218-1	1.38	9/16	1 13/32	1 25/32	6
34220-1	1.38	5/8	1 1/2	1 7/8	6
34222-1	1.56	1 1/16	1 1/2	1 15/16	6
34224-1	1.56	3/4	1 9/16	1 1 1/16	6
34226-1	1.72	1 1/8	1 19/32	1 1 1/8	6
34228-1	1.72	7/8	1 5/8	1 1 3/8	6
34230-1	1.90	1 5/16	1 21/32	1 1 1/4	6
34232-1	1.90	1	1 23/32	1 3/8	6
34234-1	2.14	1 1/16	1 3/4	1 1 7/16	6
34236-1	2.50	1 1/8	1 13/16	1 1 1/2	6
34240-1	2.84	1 1/4	1 7/8	1 1 11/16	6

3/4" SQUARE DRIVE					
36228-1	\$ 3.20	7/8	2	1 1/2	2
36230-1	3.20	1 5/16	2	1 3/8	2
36232-1	3.20	1	2	1 7/8	2
36234-1	3.20	1 1/16	2 1/8	1 1/2	2
36236-1	3.26	1 1/8	2 7/32	1 1/2	2
36238-1	3.40	1 1/4	2 13/16	1 11/16	2
36240-1	3.84	1 1/2	2 25/16	1 3/4	2
36242-1	4.00	1 5/8	2 21/32	1 13/16	2
36244-1	4.26	1 3/4	2 1/2	1 7/8	2
36246-1	4.50	1 7/8	2 9/16	2	2
36248-1	4.75	1 1/2	2 5/8	2 1/16	2
36252-1	5.80	1 5/8	2 3/4	2 1/4	2
36256-1	6.30	1 3/4	2 7/8	2 5/8	2
36258-1	6.50	1 13/16	2 31/32	2 15/32	2
36260-1	7.00	1 7/8	3 1/16	2 9/16	2
36264-1	7.90	2	3 5/32	2 23/32	2
36266-1	9.24	2 1/16	3 3/8	2 13/16	2
36268-1	9.50	2 1/8	3 5/16	2 15/16	2
36270-1	10.00	2 1/4	3 3/4	3	2
36272-1	12.00	2 1/2	3 7/8	3 1/16	2



**LOC-RITE SOCKETS
REGULAR LENGTH**

1" SQUARE DRIVE					
38046	\$ 5.80	1 7/16	2 1/2	2	1
38048	6.60	1 1/2	2 19/32	2 1/8	1
38052	7.00	1 5/8	2 11/16	2 1/4	1
38054	7.50	1 11/16	2 25/32	2 3/8	1
38056	8.20	1 3/4	2 27/32	2 1/2	1
38058	8.70	1 13/16	2	2 9/16	1
38060	10.26	1 7/8	2 31/32	2 5/8	1
38064	11.40	2	3 1/16	2 3/4	1
38068	14.00	2 1/8	3 3/32	2 29/32	1
38070	15.00	2 1/4	3 1/8	3	1
38072	16.20	2 1/2	3 7/32	3	1

PART NO.	LIST PRICE	SIZE OPENINGS	O.A. LENGTH	O.D. SOC. END	STD. PKG.
1" SQUARE DRIVE REGULAR LENGTH SOCKETS					
38074	\$18.00	2 5/16	3 9/32	3 1/8	1
38076	19.00	2 3/8	3 3/16	3 9/32	1
38078	21.00	2 7/16	3 3/8	3 5/16	1
38080	23.80	2 1/2	3 3/8	3 5/16	1
38082	27.20	2 9/16	3 17/32	3 3/8	1
38084	31.00	2 5/8	3 19/32	3 15/32	1
38088	32.50	2 3/4	3 11/16	3 3/4	1
38094	40.00	2 15/16	3 3/4	3 31/32	1
38096	45.00	3	3 3/4	4 1/16	1
38100	48.00	3 1/8	3 29/32	4 1/4	1



**LOC-RITE SOCKETS
EXTRA DEEP SERIES**

3/8" SQUARE DRIVE					
33214-2	\$ 1.40	7/16	2	1 39/64	6
33216-2	1.40	1/2	2	1 11/16	6
33218-2	1.46	9/16	2	1 25/32	6
33220-2	1.56	5/8	2 1/2	1 7/8	6
33222-2	1.64	1 1/16	2 1/2	1 15/16	6
33224-2	1.94	3/4	2 9/16	1	6

1/2" SQUARE DRIVE					
34216-2	\$ 2.32	1/2	3	1 47/64	6
34218-2	2.32	9/16	3	1 13/16	6
34220-2	2.32	5/8	3	1 7/8	6
34222-2	2.32	1 1/16	3	1 15/16	6
34224-2	2.32	3/4	3	1 1 1/16	6
34226-2	2.46	13/16	3	1 1/8	6
34228-2	2.60	7/8	3 3/4	1 13/16	6
34230-2	2.92	1 5/16	3 1/4	1 1/4	6
34232-2	3.10	1	3 3/4	1 5/8	6
34236-2	3.30	1 1/8	3 5/16	1 1/2	6



LOC-RITE FLEXIBLE SOCKETS

3/8" SQUARE DRIVE					
33218-9	\$ 4.04	9/16	1 13/16	1 13/16	6
33220-9	4.04	5/8	1 7/8	1 7/8	6
33222-9	4.80	1 1/16	1 7/8	1 15/16	6
33224-9	4.80	3/4	1 7/8	1	6

1/2" SQUARE DRIVE					
34216-9	\$ 5.20	1/2	2 7/32	1 11/16	6
34218-9	5.20	9/16	2 7/32	1 25/32	6
34220-9	5.20	5/8	2 9/32	1 7/8	6
34222-9	5.20	1 1/16	2 9/32	1 15/16	6
34224-9	5.20	3/4	2 11/32	1	6
34226-9	5.80	13/16	2 11/32	1 1/16	6



**CAM-LOC OPEN END
RATCHET WRENCH**

PART NO.	LIST PRICE	SIZE OPENINGS	O.D. HEAD	O.A. LENGTH	STD. PKG.
43212	\$ 4.00	3/8	1.18	5 1/4	12
43214	4.20	7/16	1.24	5 1/4	12
43216	4.82	1/2	1.36	5 3/8	12
43218	4.92	9/16	1.52	6	12
43220	5.10	5/8	1.72	6 3/4	6
43222	5.26	1 1/16	1.80	7 3/8	6
43224	5.92	3/4	1.88	8	6
43228	6.22	7/8	2.20	9 5/16	1
43232	6.60	1	2.40	10 5/8	1

*If, after prolonged use, there is wear on the moving parts of the ratchet, we will completely recondition and rebuild Cam-Loc Ratchet Wrenches for the following service charge:

Sizes 3/8 thru 9/16 \$ 1.60 Each Net
 Sizes 5/8 thru 1 1/16 1.75 Each Net
 All Other Sizes 2.00 Each Net

CAM-LOC Open-end Ratchet Crowfoots in any of the above sizes, with 3/8" or 1/2" square drive, available upon request.

BONNEY TOOLS

